

## Pharmaceuticals Finished Formulation

Sr. no.	Composition	td	Claim	Unit
1	<p><b>Montelukast Sodium &amp; Levocetirizine Di-Hydrochloride Tablets.</b> Composition: Each film coated tablet contains: Montelukast Sodium Eq.to Montelukast Levocetirizine Di- Hydrochloride Excipients Dosage: As directed by the physician. <b>(For Export Only)</b></p>	B.P. U.S.P	10 5	mg mg q.s.
2	<p><b>Paracetamol,Diclofenac Sodium &amp; Caffeine Tablets.</b> Composition: Each uncoated tablet contains: Paracetamol Diclofenec Sodium (as enteric coated) Caffeine (Anhydrous) Excipients Dosage: As directed by the physician. <b>(For Export Only)</b></p>	B.P. B.P. B.P.	325 50 30	mg mg mg q.s.
3	<p><b>Montelukast Sodium &amp; levocetirizine Di-Hydrochloride Tablets.</b> Composition: Each film coated tablet contains: Montelukast Sodium Eq. to Montelukast Levoceterixine Di- Hydrochloride Excipients Dosage: As directed by the physician.</p>	B.P. U.S.P	5 2.5	mg mg q.s.
4	<p><b>Azithromycin Tablets I.P.</b> Each film coated tablet contains: Azithromycin Dihydrate Eq. to Azithromycin Anhydrous Excipients Dosage: As directed by the physician.</p>	.P.	250	mg q.s.
5	<p><b>Rifaximin Tablets 550 mg.</b> Composition: Each film coated tablet contains: Rifaximin Ph.Eur. Excipients Dosage: As directed by the physician.</p>		550	mg q.s.
6	<p><b>Guaiphenesin,Bromhexine HCL,Phenylephrine HCL,Chlorpheniramine Maleate &amp; Paracetamol Tablets.</b> Composition: Each tablet contains: Guaiphenesin Bromhexine Hydrochloride Phenylephrine Hydrochloride Chlorpheniramine Maleate Paracetamol Excipients Dosage: As directed by the physician. <b>(For Export Only)</b></p>	B.P. B.P. B.P. B.P. B.P.	100 8 5 2 500	mg mg mg mg mg q.s.
7	<p><b>Ciprofloxacin Tablets.</b> Composition: Each tablet contains: Metronidazole Excipients Dosage: As directed by the physician. <b>(For Export Only)</b></p>	U.S.P.	5 00	mg q.s.

8	<b>Metronidazole Tablets B.P. 250 mg</b> Composition: Each tablet contains: Metronidazole Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P.	2 50	mg q.s.
9	<b>Aceclofenac &amp; Paracetamol Tablets.</b> Composition: Each Film Coated tablet contains: Aceclofenac Paracetamol Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P. B.P.	100 325	mg mg q.s.
10	<b>Aceclofenac &amp; Paracetamol Tablets.</b> Composition: Each Film Coated tablet contains: Aceclofenac Paracetamol Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P. B.P.	100 500	mg mg q.s.
11	<b>Ibuprofen,Paracetamol &amp; Caffeine Tablets.</b> Composition: Each Film Coated tablet contains: Ibuprofen Paracetamol Caffeine (Anhydrous) Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P. B.P. B.p.	400 500 30	mg mg mg q.s.
12	<b>Diclofenac Sodium,Paracetamol, Chlorpheniramine Maleate &amp; Magnesium Trisilicate Tablet.</b> <b>Composition:</b> Diclofenac Sodium (As enteric coated granules) Paracetamol Chlorpheniramine Maleate Magnesium Trisilicate Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P. B.P. B.P. B.P.	50 500 4 100	mg mg mg mg
13	<b>Etoricoxib Tablets I.P.</b> Each film coated tablet contains: Etoricoxib Excipients Dosage: As directed by the physician.	I.P.	0	mg q.s.
14	<b>Methylcobalamin, L-Methyl Folate &amp; Pyridoxal 5-Phosphate Tablets.</b> Each film coated tablet contains: Methylcobalamin L-Methyl Folate Pyridoxal 5- Phosphate Rutoside Trihydrate Eq.to Anhydrous Rutoside Excipients Dosage: As directed by the physician.	I.P.	1500 1 0.5	mcg mg mg q.s.
15	<b>Trypsin,Bromelain,Rutoside Trihydrate Tablets.</b> Composition: Each dispersible tablet contains: Trypsin Bromelatin Rutoside Trihydrate Eq.to Anhydrous Rutoside Excipients Dosage: As directed by the physician.	I.P. B.P .B. P.	48 90 100	mg mg mg q.s.
16	<b>Azithromycin with Lactic Acid Bacillus Tablets</b> Each film coated tablet contains: Azithromycin Dihydrate Eq.to Azithromycin Anhydrous Lactic Acid Bacillus Excipients Dosage: As directed by the physician.	I.P.	2 50	mg millions spores q.s.

17	<b>Azithromycin with Lactic Acid Bacillus Tablets</b> Each film coated tablet contains: Azithromycin Dihydrate Eq.to Azithromycin Anhydrous Lactic Acid Bacillus Excipients Dosage: As directed by the physician.	I.P	500 60	mg million spores q.s.
18	<b>Divalproex Sodium Extended Release Tablet</b> <b>I.P.500 mg.</b> Each film coated extended release tablet contains: Divalproex Sodium Eq.to Valproic Acid Excipients Dosage: As directed by the physician.	I.P.	5 00	mg q.s.
19	<b>Divalproex Sodium Extended Release Tablet</b> <b>I.P.250 mg.</b> Each film coated extended release tablet contains: Divalproex Sodium Eq.to Valproic Acid Excipients Dosage: As directed by the physician.	I.P.	2 50	mg q.s.
20	<b>Cabergoline Tablet I.P. 0.5 mg</b> Each uncoated tablet contains: Cabergoline Excipients Dosage: As directed by the physician.	I.P.	0 .5	mg q.s.
21	<b>Cabergoline Tablet I.P. 0.25 mg</b> Each uncoated tablet contains: Cabergoline Excipients Dosage: As directed by the physician.	I.P.	0 .25	mg q.s.
22	<b>Montelukast &amp; Acebrophylline Tablets.</b> Each film coated bilayered tablet contains: Montelukast Sodium Equivalent to Montelukast (immediate release form) Acebrophylline (in prolonged release form) Excipients Dosage: As directed by the physician.	I.P.	10 200	mg mg q.s.
23	<b>Cinnarizine &amp; Domperidone Tablets.</b> Each film coated tablet contains: Cinnarizine Domperidone Excipients Dosage: As directed by the physician.	I.P. I.P.	20 15	mg mg q.s.
24	<b>Vitamin B-Complex Tablet</b> Each film coated tablet contains: Thiamine Hydrochloride (Vit.B1) Riboflavin (Vit.B2) Nicotinamide (Niacinamide) Pyridoxine Hydrochloride (Vit.B6) Folic Acid Cyanocobalamin (Vit.B12) Excipients Dosage: As directed by the physician. <b>(For Export Only)</b>	B.P. B.P. B.P. B.P. B.P. B.P.	1.0 1.0 15 1.0 0.5 1.0	mg mg mg mg mg mcg q.s.
25	<b>Cefdinir Tablets.</b> Composition: Each uncoated dispersible tablet contains: Cefdinir Excipients Dosage: As directed by the physician.	I.P.	300 q.s.	Mg
26	<b>Trimethoprim &amp; Sulphamethoxazole Tablets I.P.</b> Composition: Each uncoated tablet contains: Trimethoprim Sulphamethoxazole Excipients Dosage: As directed by the physician.	I.P. I.P.	160 800 q.s.	mg mg

27	<b>Paracetamol Tablet. I.P.</b> Composition: Each uncoated dispersible tablet contains: Paracetamol Excipients Dosage: As directed by the physician.	I.P.	325 q.s.	Mg
28	<b>Phenylephrine Hydrochloride &amp; Chlorpheniramine Maleate Tablets.</b> Composition: Each uncoated dispersible tablet contains: Phenylephrine Hydrochloride Chlorpheniramine Maleate Excipients Dosage: As directed by the physician.	I.P. I.P.	10 4 q.s.	mg mg
29	<b>Rabeprazole Sodium Gastro Resistant Tablets</b> Each enteric coated tablet contains Rabeprazole Sodium Dosage: As directed by the physician	I.P.	0	Mg
30	<b>Drotaverine Hydrochloride and Mefenamic Acid Tablets</b> Each uncoated tablet contains Drotaverine Hydrochloride Mefenamic Acid Dosage: As directed by the physician	I.P. I.P.	80 250	mg mg
31	<b>Rabeprazole and Domperidone Gastro Resistant Tablets</b> Each enteric coated tablet contains Rabeprazole Sodium Domperidone Dosage: As directed by the physician	I.P. I.P.	20 10	mg mg
32	<b>Levocetirizine Di HCl Tablets</b> Each film coated tablet contains Levocetirizine Dihydrochloride Dosage: As directed by the physician	I.P.		Mg
33	<b>Ofloxacin Tablets I.P.</b> Each film coated tablet contains Ofloxacin Dosage: As directed by the physician	I.P.	2 00	Mg
34	<b>Levofloxacin tablets I.P.</b> Each film coated tablet contains Levofloxacin Hemihydrate eq. to Levofloxacin Dosage: As directed by the physician	I.P.	5 00	Mg
35	<b>Paracetamol, Diclofenac Potassium and Chlorzoxazone Tablets</b> Each un coated tablet contains Diclofenac Potassium Paracetamol Chlorzoxazone Dosage: As directed by the physician	B.P. I.P. U.S.P .	50 325 500	mg mg mg
36	<b>Aceclofenac, Paracetamol and Chlorzoxazone Tablets</b> Each film coated tablet contains Aceclofenac Paracetamol Chlorzoxazone Dosage: As directed by the physician	I.P. I.P. U.S.P .	100 325 250	mg mg mg
37	<b>Ciprofloxacin Hydrochloride Tablets I.P.</b> Each film coated tablet contains Ciprofloxacin Hydrochloride eq. to Ciprofloxacin Dosage: As directed by the physician	I.P.	5 00	Mg
38	<b>Ondansetron HCl Mouth dissolving Tablets</b> Each un coated mouth dispersible tablet contains Ondansetron Hydrochloride eq. to Ondansetron Dosage: As directed by the physician	I.P.	4	Mg

39	<b>Paracetamol Tablets I.P.</b> Each un coated tablet contains Paracetamol Dosage: As directed by the physician	I.P.	650	Mg
40	<b>Montelukast and Levocetirizine Tablets</b> Each film coated tablet contains Levocetirizine Hydrochloride Montelukast Sodium eq. to Montelukast Dosage: As directed by the physician	I.P. I.P.	5 10	mg mg
41	<b>Paracetamol, Phenylephrine, Caffeine and CPM Tablets</b> Each un coated tablet contains Chlorpheniramine Maleate Phenylephrine Hydrochloride Paracetamol Caffeine Anhydrous Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	4 5 325 30	mg mg mg mg
42	<b>Ciprofloxacin Hydrochloride Tablets I.P.</b> Each film coated tablet contains Ciprofloxacin Hydrochloride eq. to Ciprofloxacin Dosage: As directed by the physician		250	Mg
43	<b>Diclofenac Potassium and Paracetamol Tablets</b> Each un coated tablet contains Diclofenac Potassium Paracetamol Dosage: As directed by the physician	B.P. I.P.	50 325	mg mg
44	<b>Paracetamol, Cetirizine and Phenylephrine Tablets</b> Each un coated tablet contains Paracetamol Cetirizine hydrochloride Phenylephrine Hydrochloride Dosage: As directed by the Physician	I.P. I.P. I.P.	325 5 5	mg mg mg
45	<b>Paracetamol, Cetirizine and Phenylephrine Tablets</b> Each 5 ml. Contains Cetirizine Hydrochloride Phenylephrine Hydrochloride Paracetamol Dosage: As directed by the Physician	I.P. I.P. I.P.	2.5 2.5	mg mg mg
46	<b>Aceclofenac and Tizanidine HCl Tablets</b> Each film coated tablet contain Aceclofenac Tizanidine Hydrochloride eq. to Tizanidine Dosage: As directed by the Physician	I.P. I.P.	100 2	mg mg
47	<b>Levofloxacin Hemihydrate Tablets I.P.</b> Each film coated tablet contains Levofloxacin Hemihydrate eq. to Levofloxacin Dosage: As directed by the physician	I.P.	250	Mg
48	<b>Levofloxacin Hemihydrate Tablets I.P.</b> Each film coated tablet contains Levofloxacin Hemihydrate eq. to Levofloxacin Dosage: As directed by the physician	I.P.	750	Mg
49	<b>Ofloxacin Tablets I.P.</b> Each film coated tablet contains Ofloxacin Dosage: As directed by the physician	I.P.	100	Mg
50	<b>Albendazole and Ivermectin Tablets</b> Each un coated tablet contains Albendazole Ivermectin Dosage: As directed by the physician	I.P.	400 6	mg mg

51	<b>Fluconazole Tablets I.P.</b> Each film coated tablet contains Fluconazole Dosage: As directed by the physician	I.P.	1 50	Mg
52	<b>Atorvastatin Calcium Tablets I.P.</b> Each film coated tablet contains Atorvastatin Calcium eq. to Atorvastatin Dosage: As directed by the physician	I.P.	0	Mg
53	<b>Losartan Potassium and Hydrochlorthiazide Tablets</b> Each film coated tablet contains Losartan Potassium Hydrochlorothiazide Dosage: As directed by the physician	I.P. I.P.	50 12.5	mg mg
54	<b>Nimesulide and Dicyclomine Hydrochloride Tablets</b> Each un coated tablet contains Nimesulide Dicyclomine Hydrochloride Dosage: As directed by the physician	B.P. I.P.	100 0	mg mg
55	<b>Nimesulide mouth dissolving Tablets</b> Each mouth dispersible tablet contains Nimesulide Dosage: As directed by the physician	B.P.	1 00	Mg
56	<b>Tramadol Hydrochloride and Paracetamol Tablets U.S.P.</b> Each un coated tablet contains Tramadol Hydrochloride Paracetamol Dosage: As directed by the physician	I.P. I.P.	100 325	mg mg
57	<b>Pantoprazole Sodium sesquihydrate and Domperidone Tablets</b> Each enteric coated tablet contains Pantoprazole Sodium sesquihydrate eq. to Pantoprazole Domperidone Dosage: As directed by the physician	I.P. I.P.	40 10	mg mg
58	<b>Levocetirizine Dihydrochloride and Ambroxol Tablets</b> Each film coated tablet contains Levocetirizine Dihydrochloride Ambroxol Hydrochloride Dosage: As directed by the physician	I.P. I.P.	5 60	mg mg
59	<b>Levocetirizine Dihydrochloride, Phenylephrine and Paracetamol Tablets</b> Each film coated tablet contains Levocetirizine Dihydrochloride Phenylephrine Hydrochloride Paracetamol Dosage: As directed by the physician	I.P. I.P.	5 5 325	mg mg mg
60	<b>Domperidone mouth dispersible Tablets</b> Each mouth dispersible tablet contains Domperidone Dosage: As directed by the physician	B.P.	0	Mg
61	<b>Aceclofenac and Thiocolchicoside Tablets</b> Each film coated tablet contains Aceclofenac Thiocolchicoside Dosage: As directed by the physician	I. .P. I.P.	100 4	mg mg
62	<b>Dicyclomine Hydrochloride and Mefenamic Acid Tablets</b> Each un coated tablet contains Dicyclomine HCl Mefenamic Acid Dosage: As directed by the physician	I.P. I.P.	20 250	mg mg

63	<b>Aceclofenac and Drotaverine Tablets</b> Each film coated tablet contains Aceclofenac Drotaverine HCl Dosage: As directed by the physician	I.P. I.P.	100 80	mg mg
64	<b>Pantoprazole Sodium Gastro Resistant Tablets I.P.</b> Each enteric coated tablet contains Pantoprazole Sodium sesquihydrate eq. to Pantoprazole Dosage: As directed by the physician	.P.	0	Mg
65	<b>Paracetamol Tablets I.P.</b> Each un coated tablet contains Paracetamol Dosage: As directed by the physician	.P.	5 00	Mg
66	<b>Phenylephrine HCl , Chlorpheniramine Maleate, Paracetamol and Caffeine Tablets</b> Each un coated tablet contains Phenylephrine HCl Chlorpheniramine Maleate Paracetamol Caffeine Anhydrous Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	10 2 325 30	mg mg mg mg
67	<b>Montelukast Sodium and Fexofenadine Hydrochloride Tablets</b> Each film coated tablet contains Montelukast Sodium eq. to Montelukast Fexofenadine Hydrochloride Dosage: As directed by the physician	I.P. I.P.	10 20	mg mg
68	<b>Amlodipine Besylate and Atenolol Tablets</b> Each film coated tablet contains Amlodipine Besylate eq. to Amlodipine Atenolol Dosage: As directed by the physician	I.P. I.P.	5 50	mg mg
69	<b>Amlodipine Besylate Tablets I.P.</b> Each film coated tablet contains Amlodipine Besylate eq. to Amlodipine Dosage: As directed by the physician	.P.		Mg
70	<b>Etoricoxib Tablets I.P.</b> Each filmcoated tablet contains Etoricoxib Dosage: As directed by the physician	.P.	1 20	Mg
71	<b>Paracetamol, Cetirizine di HCl, Phenylephrine HCl and Caffeine Anhydrous Tablets</b> Each un coated tablet contains Paracetamol Cetirizine Dihydrochloride Phenylephrine Hydrochloride Caffeine anhydrous Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	325 5 10 30	mg mg mg mg
72	<b>Ferrous Ascorbate, Folic Acid , Cyanocobalamin, Cholecalciferol and Zinc Sulphate Tablets</b> Each film coated tablet contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Cyanocobalamin Cholecalciferol Zinc Sulphate eq. to elemental Zinc Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	100 1 15 1000 22.5	mg mg mcg IU mg
73	<b>Terbinafine Tablets</b> Each film coated tablet contains Terbinafine Dosage: As directed by the physician.	.P.	2 50	Mg

74	<b>Mefenamic Acid and Drotaverine HCl Tablets</b> Each film coated tablet contains Mefenamic Acid Drotaverine Hydrochloride Dosage: As directed by the physician.	.P.	250 80	mg mg
75	<b>Mefenamic Acid and Drotaverine HCl Tablets</b> Each un coated tablet contains Mefenamic Acid Drotaverine HCl Dosage: As directed by the physician.	I.P.	250 20	mg mg
76	<b>Telmisartan Tablets I.P.</b> Each un coated tablet contains Telmisartan Dosage: As directed by the physician.	I.P.	40	Mg
77	<b>Telmisartan and Amlodipine Besylate Tablets</b> Each un coated tablet contains Telmisartan Amlodipine Besylate eq. to Amlodipine Dosage: As directed by the physician.	I.P. I.P.	40 5	mg mg
78	<b>Telmisartan and Chlorthalidone Tablets</b> Each un coated tablet contains Telmisartan Chlorthalidone Dosage: As directed by the physician.	I.P. U.S.P .	40 12.5	mg mg
79	<b>Tramadol Hydrochloride, Paracetamol and Chlorzoxazone Tablets</b> Each un coated tablet contains Tramadol Hydrochloride Paracetamol Chlorzoxazone Dosage: As directed by the physician.	I.P. I.P. U.S.P .	50 325 250	mg mg mg
80	<b>Paracetamol, Levocetirizine di HCl, Phenylephrine HCl and Caffeine anhydrous Tablets</b> Each un coated tablet contains Levocetirizine di HCl Paracetamol Phenylephrine HCl Caffeine Anhydrous Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	5 325 10 30	mg mg mg mg
81	<b>Paracetamol and Dicyclomine HCl Tablets</b> Each un coated tablet contains Paracetamol Dicyclomine Hydrochloride Excipients Dosage: As directed by the physician.	I.P. I.P.	325 20 q.s.	mg mg
82	<b>Telmisartan &amp; Chlorthalidone Tablets</b> Each uncoated tablet contains Telmisartan Chlorthalidone Excipients Dosage: As directed by the physician.	I.P. I.P.	80 12.5 Q.S.	mg mg
83	<b>Telmisartan &amp; Chlorthalidone Tablets</b> Each uncoated tablet contains Telmisartan Chlorthalidone Excipients Dosage: As directed by the physician.	I .P. I.P	40 6.25 Q.S.	mg mg
84	<b>Tramadol Hydrochloride and Paracetamol Tablets U.S.P.</b> Each un coated tablet contains Tramadol Hydrochloride Paracetamol Dosage: As directed by the physician.	I.P. I.P.	50 325	mg mg
85	<b>Montelukast Sodium &amp; Levocetirizine Dihydrochloride Mouth Dissolving tablets</b> Each uncoated mouth dissolving tablet contains Montelukast Sodium eq. to Montelukast Levocetirizine Dihydrochloride Excipients Dosage: As directed by the physician.	I.P. I.P.	10 5 Q.S.	mg mg



86	<b>Levocetirizine DiHCl Mouth Dissolving Tablets</b> Each uncoated mouth dissolving tablet contains Levocetirizine di HCl Excipients Dosage: As directed by the physician.	I.P.	5 Q.S.	Mg
87	<b>Loratadine Mouth Dissolving Tablets</b> Each uncoated mouth dissolving tablet contains Loratadine Excipients Dosage: As directed by the physician.	.P.	10 Q.S.	Mg
88	<b>Cefixime Dispersible Tablets 100 mg</b> Each uncoated dispersible tablet contains Cefixime Trihydrate eq. to cefixime Anhydrous Dosage: As directed by the physician	.P.	100	Mg
89	<b>Deflazacort Tablets</b> Each uncoated tablet contains Deflazacort Dosage: As directed by the physician		6	Mg
90	<b>Diclofenac Potassium, Paracetamol and Serratiopeptidase Tablets</b> Each film coated tablet contains Diclofenac Potassium Paracetamol Serratiopeptidase as enteric coated pellets eq to 20000 unit of enzymatic activity Dosage: As directed by the physician	B.P. I.P. I.P.	50 325 10	mg mg mg
91	<b>Roxithromycin Tablets I.P.</b> Each film coated tablet contains Roxithromycin Dosage: As directed by the physician	.P.	150	Mg
92	<b>Cefuroxime Axetil Tablets I.P.</b> Each film coated tablet contains Cefuroxime Axetil eq. to Cefuroxime Dosage: As directed by the physician	.P.	500	Mg
93	<b>Azithromycin Dispersible Tablets 100 mg</b> Each uncoated dispersible tablet contains Azithromycin Trihydrate eq. to Azithromycin Anhydrous Dosage: As directed by the physician	.P.	100	Mg
94	<b>Azithromycin Tablets I.P.</b> Each film coated tablet contains Azithromycin Trihydrate eq. to Azithromycin Anhydrous Dosage: As directed by the physician	.P.	205	Mg
95	<b>Cefixime and Dicloxacillin Tablets</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime anhydrous Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician	I.P. I.P.	200 250	mg mg
96	<b>Vitamin D3 Chewable Tablets</b> Each Chewable Tablet contains Vitamin D3 Dosage: As directed by the physician	.P.	60000	IU
97	<b>Artemether and Lumefantrine Tablets</b> Each uncoated tablet contains Artemether Lumefantrine Dosage: As directed by the physician	.P.	80 480	mg mg

98	<p><b>Diclofenac Sodium and Serratiopeptidase Tablets</b></p> <p>Each enteric Coated tablet contains Diclofenac Sodium Serratiopeptidase (eq. to 20,000 unit of enzymatic activity) as enteric coated pellets Dosage: As directed by the physician</p>	I.P. I.P.	50 10	mg mg
99	<p><b>Cefixime and Azithromycin Tablets</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Azithromycin Trihydrate eq. to Azithromycin Anhydrous Dosage: As directed by the physician</p>	I.P. I.P.	200 250	mg mg
100	<p><b>Diclofenac Potassium and Serratiopeptidase Tablets</b></p> <p>Each film coated tablet contains Diclofenac Potassium Serratiopeptidase as enteric coated pellets eq. to 20000 unit of enzymatic activity Dosage: As directed by the physician</p>	B.P. I.P.	50 10	mg mg
101	<p><b>Cefixime ,Ofloxacin and Lactic Acid Bacillus Tablets</b></p> <p>Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Ofloxacin Lactic Acid Bacillus Dosage: As directed by the physician</p>	I.P. I.P.	200 200 60	mg mg mill spore
102	<p><b>Ampicillin and Dicloxacillin Tablets</b> Each film coated tablet contains Ampicillin Trihydrate eq. to Ampicillin Anhydrous Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician</p>	I.P. I.P.	250 250	mg mg
103	<p><b>Aceclofenac, Paracetamol and Serratiopeptidase Tablets</b></p> <p>Each film coated tablet contains Aceclofenac Paracetamol Serratiopeptidase as enteric coated granules 20,000 unit of enzymatic Activity Dosage: As directed by the physician.</p>	I.P. I.P. I.P.	100 325 10	mg mg mg
104	<p><b>Diclofenac Potassium ,Paracetamol and Serratiopeptidase Tablets</b></p> <p>Each film coated tablet contains Diclofenac Potassium Paracetamol Serratiopeptidase (As Enteric Coated Granules) (eq. to 30,000 units of Enzymatic Activity) Excipients Dosage: As directed by the physician.</p>	B.P. I.P. I.P.	50 325 15 q.s	mg mg mg
105	<p><b>Amoxicillin Dispersible Tablets</b></p> <p>Each un coated dispersible tablet contains Amoxicillin Trihydrate eq. to Amoxicillin Anhydrous Dosage: As directed by the physician.</p>	I.P.	250	mg
106	<p><b>Cefpodoxime Dispersible Tablets 200 mg</b> Each uncoated dispersible tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Excipients Dosage: As directed by the physician.</p>	I.P.	200 Q.S.	mg

107	<b>Calcium Carbonate and Alfacalcidol with Beta Carotene Tablets</b> Each film coated tablet contains Alfacalcidol Calcium Carbonate from an organic Source (Oyster Shell) eq. to elemental Calcium Betacarotene Dosage: As directed by the physician	I.P. I.P.	0.25 625	mcg mg
108	<b>Calcium Citrate, Calcitriol, Magnesium Hydroxide and Zinc Tablets</b> Each film coated tablet contains Calcium Citrate Calcitriol Magnesium Hydroxide Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician	U.S.P . I.P. I.P. I.P.	1200 0.25 100 22.5	mg mcg mg mg
109	<b>Calcium citrate, Magnesium Hydroxide, Vit D3 and Zinc Tablets</b> Each un coated tablet contains Calcium citrate Magnesium Hydroxide Cholecalciferol Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician	U.S.P . I.P. I.P. I.P.	1000 100 200 22.5	mg mg IU mg
110	<b>Ferrous Ascorbate, Folic Acid, Cyanocobalamin, Vit D3 and Zinc Tablets</b> Each film coated tablet contains Ferrous ascorbate eq. to elemental Iron Folic Acid Cyanocobalamin Vitamin D3 Zinc sulphate monohydrate eq. to zinc Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	100 5 15 1000 22.5	mg mg mcg IU mg
111	<b>Cefuroxime Axetil Tablets I.P. 250 mg</b> Each film coated tablet contains Cefuroxime Axetil eq. to Cefuroxime Excipients Dosage: As directed by the physician.	I.P.	250 Q.S	mg
112	<b>Calcium Carbonate, Vit D3, Magnesium, L-Lysine and Zinc Tablets</b> Each film coated tablet contains Calcium Carbonate From an Organic Source (Oyster Shell) eq. to elemental Calcium Vitamin D3 Zinc Sulphate eq. to elemental zinc Magnesium Hydroxide eq. to elemental Magnesium L-Lysine Monohydrochloride Dosage: As directed by the Physician	I.P. I.P. I.P. I.P. U.S.P .	1250 500 250 35 7.96 50 30 100	mg mg IU mg mg mg mg
113	<b>Cefixime Trihydrate with Lactic Acid Bacillus Tablets</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Lactic Acid Bacillus Excipients Dosage: As directed by the physician.	I.P.	200 60 Q.S	mg million spores
114	<b>Theophylline Tablets 200 mg</b> Each uncoated tablet contains Theophylline Excipients Dosage: As directed by the physician.	I.P.	200 Q.S	mg
115	<b>Ofloxacin and Ornidazole Tablets</b> Each film coated tablet contains Ofloxacin Ornidazole Dosage: As directed by the physician	I.P. I.P.	200 500	mg mg

116	<b>Nimesulide and Paracetamol Tablets</b> Each un coated tablet contains Nimesulide Paracetamol Dosage: As directed by the physician	B.P. I.P.	100 325	mg mg
117	<b>Paracetamol, Diclofenac Potassium and Chlorzoxazone Tablets</b> Each un coated tablet contains Diclofenac Potassium Paracetamol Chlorzoxazone Dosage: As directed by the physician	B.P. I.P. U.S.P	50 325 250	mg mg mg
118	<b>Aceclofenac and Paracetamol Tablets</b> Each film coated tablet contains Aceclofenac Paracetamol Dosage: As directed by the physician	I.P. I.P.	100 325	mg mg
119	<b>Levocetirizine Di HCl Tablets</b> Each uncoated tablet contains Levocetirizine Dihydrochloride Dosage: As directed by the physician	I.P.	5	mg
120	<b>Cefixime Trihydrate Tablets I.P.</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Dosage: As directed by the physician	I.P.	200	mg
121	<b>Cefpodoxime Proxetil Tablets I.P.</b> Each film coated tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician	I.P.	200	mg
122	<b>Cefixime Trihydrate dispersible Tablets</b> Each un coated dispersible tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Dosage: As directed by the physician	I.P.	200	mg
123	<b>Azithromycin Tablets I.P.</b> Each film coated tablet contains Azithromycin Dihydrate eq. to Azithromycin Anhydrous Dosage: As directed by the physician	I.P.	500	mg
124	<b>Aceclofenac, Paracetamol and Serratiopeptidase Tablets</b> Each film coated tablet contains Aceclofenac Paracetamol Serratiopeptidase eq. to 30,000 unit of enzymatic activity Dosage: As directed by the physician	I.P. I.P. I.P.	100 325 15	mg mg mg
125	<b>Telmisartan &amp; Chlorthalidone Tablets</b> Each uncoated tablet contains Telmisartan Chlorthalidone Dosage: As directed by the physician	I.P. U.S.P	20 12.5	mg mg
126	<b>Telmisartan &amp; Chlorthalidone Tablets</b> Each uncoated tablet contains Telmisartan Chlorthalidone Dosage: As directed by the physician	I.P. U.S.P	20 6.25	mg mg
127	<b>Telmisartan &amp; Chlorthalidone Tablets</b> Each uncoated tablet contains Telmisartan Chlorthalidone Dosage: As directed by the physician	I.P. U.S.P	80 6.25	mg mg

128	<b>Diclofenac Sodium and Paracetamol Tablets</b> Each uncoated tablet contain Diclofenac Sodium Paracetamol Excipients Dosage: As directed by the physician	I.P. I.P.	50 325 q.s	mg mg
129	<b>Tramadol Hydrochloride and Paracetamol Tablets U.S.P.</b> Each uncoated tablet contains Tramadol Hydrochloride Paracetamol Dosage: As directed by the physician	I.P. I.P.	37.5 325	mg mg
130	<b>Montelukast and Levocetirizine Tablets</b> Each film coated tablet contains Levocetirizine di HCl Montelukast Sodium eq. to Montelukast Dosage: As directed by the physician.	I.P. I.P.	2.5 4	mg mg
131	<b>Aceclofenac, Paracetamol and Chlorzoxazone Tablets</b> Each film coated tablet contains Aceclofenac Paracetamol Chlorzoxazone Dosage: As directed by the Physician	I.P. I.P. U.S.P	100 325 500	mg mg mg
132	<b>Trimethoprim Tablets 200 mg</b> Each uncoated tablet contains Trimethoprim Excipients Dosage: As directed by the physician.	I.P.	200 Q.S.	mg
	<b>Cefixime Trihydrate with Lactic Acid Bacillus Tablets</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Lactic Acid Bacillus Excipients Dosage: As directed by the physician.	I.P.	200 60 Q.S.	mg million spores
134	<b>Aceclofenac, Paracetamol and Serratiopeptidase Tablets</b> Each film coated tablet contains Aceclofenac Paracetamol Serratiopeptidase Dosage: As directed by the physician	I.P. I.P. I.P.	100 325 15	mg mg mg
135	<b>Cefixime Tablets I.P.</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Dosage: As directed by the physician	I.P.	200	mg

136	<b>Multivitamin, Multimineral &amp; Antioxidants Tablets with Ginseng</b> Each film coated tablet contains Ginseng Vitamin A Vitamin D3 Thiamine Hydrochloride Riboflavin Pyridoxine HCl Cyanocobalamin Niacinamide Folic Acid Copper Sulphate Potassium Iodide Magnesium Sulphate Zinc Sulphate Monohydrate Dosage: As directed by the physician.	B.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P.	42.5 2500 200 2 3 1.5 0.5 25 300 2 100 3 10	mg IU IU mg mg mg mcg mg mcg mg mcg mg mg
136	<b>Cefpodoxime Dispersible Tablets 50 mg</b> Each uncoated dispersible tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Excipients Dosage: As directed by the physician.	I.P.	50 Q.S	mg
137	<b>Betamethasone Tablet I.P.</b> Each uncoated tablet contains Betamethasone Dosage: As directed by the physician.	I.P.	0.5	mg
138	<b>Methylcobalamin Tablets</b> Each film coated tablet contains Methylcobalamin Dosage: As directed by the physician		1500	mcg
139	<b>Cefuroxime Axetil &amp; Lactic Acid Bacillus Tablets</b> Each film coated tablet contains Cefuroxime Axetil eq. to Cefuroxime Lactic Acid Bacillus Excipients Colour : Titanium Dioxide Dosage: As directed by the physician	I.P.	500 120 Q.S.	mg million spores
140	<b>Pregabalin with Methylcobalamin Tablets</b> Each uncoated tablet contains Pregabalin Methylcobalamin Dosage: As directed by the physician	I.P.	75 750	mg mcg
141	<b>Doxylamine Succinate, Pyridoxine HCl and Folic Acid Tablets</b> Each film coated tablet contains Doxylamine Succinate Pyridoxine Hydrochloride Folic Acid Dosage: As directed by the physician	B.P. I.P. I.P.	20 20 2.5	mg mg mg
142	<b>Ampicillin and Dicloxacillin Dispersible Tablets</b> Each uncoated dispersible tablet contains Ampicillin Trihydrate eq. to Ampicillin Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician.	I.P. I.P.	125 125	mg mg
143	<b>Cefpodoxime and Ofloxacin Tablets</b> Each film coated tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Anhydrous Ofloxacin Dosage: As directed by the physician.	I.P. I.P.	200 200	mg mg
144	<b>Cefpodoxime and Dicloxacillin Tablets</b> Each film coated tablet contains Cefpodoxime Proxetil eq. to cefpodoxime Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician	I.P. I.P.	200 250	mg mg

145	<b>Cefpodoxime Dispersible Tablets 100 mg</b> Each uncoated dispersible Tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician	I.P.	100	mg
146	<b>Cefpodoxime Proxetil Tablets I.P.</b> Each film coated tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician	I.P.	200	
147	<b>Aceclofenac and Drotaverine HCl Tablet</b> Each film coated tablet contains Aceclofenac Drotaverine Hydrochloride Dosage: As directed by the physician	I.P. I.P.	100 80	mg mg
148	<b>Chlorthalidone Tablets I.P.</b> Each uncoated tablet contains Chlorthalidone Excipients Dosage: As directed by the physician	I.P.	12.5 Q.S.	mg
149	<b>Chlorthalidone Tablets I.P.</b> Each uncoated tablet contains Chlorthalidone Excipients Dosage: As directed by the physician	I.P.	6.25 Q.S.	mg
150	<b>Mefenamic Acid &amp; Paracetamol Tablets</b> Each uncoated tablet contains Paracetamol Mefenamic Acid Dosage: As directed by the physician	I.P. I.P.	325 250	mg mg
151	<b>Albendazole Tablets I.P.</b> Each chewable tablet contains Albendazole Dosage: As directed by the physician	I.P.	400	mg
152	<b>Calcium Carbonate , Calcitriol and Zinc Tablets</b> Each film coated tablet contains Calcitriol Calcium Carbonate (from an organic source)( Oyster Shell) eq. to elemental Calcium Zinc Sulphate Monohydrate eq. to elemental Zinc Excipients Dosage: As directed by the physician.	I.P. I.P. I.P.	0.25 1250 500 22.5 Q.S	mcg mg mg mg
153	<b>Ampicillin and Dicloxacillin Dispersible Tablets</b> Each uncoated dispersible tablet contains Ampicillin Trihydrate eq. to Ampicillin Anhydrous Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician	I.P. I.P.	125 125	mg mg
154	<b>Ferrous Ascorbate ,Folic Acid , Vit B12 with Zinc Tablets</b> Each uncoated tablet contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Vitamin B12 Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician	I.P. I.P. I.P.	30 1.5 15 22.5	mg mg mcg mg
155	<b>Cefixime &amp; Azithromycin Tablets with Lactic Acid Bacillus</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Azithromycin Trihydrate eq. to Azithromycin Anhydrous Lactic Acid Bacillus Dosage: As directed by the physician	I.P. I.P.	200 250 60	mg mg million spores

156	<p><b>Alpha Lipoic Acid , Pyridoxine HCl , Methylcobalamin, Folic Acid &amp; Vitamin D3 Tablets</b>  Each film coated tablet contains Alpha Lipoic Acid Pyridoxine HCl  Methylcobalamin Folic Acid Vitamin D3 Excipients  Dosage: As directed by the physician</p>	<p>U.S.P  .I.P. I.P.  I.P.</p>	<p>100  1500  1.5  1000  Q.S.</p>	<p>mg mg  mcg mg I.U.</p>
157	<p><b>Amoxicillin and Dicloxacillin Dispersible Tablets</b> Each un coated dispersible tablet contains Amoxicillin Trihydrate eq. to Amoxicillin Anhydrous Dicloxacillin Sodium eq. to Dicloxacillin  Dosage: As directed by the physician</p>	<p>I.P.  I.P.</p>	<p>125  125</p>	<p>mg mg</p>
158	<p><b>Calcium Citrate Maleate, Calcitriol, Magnesium Hydroxide and Zinc Tablets</b>  Each film coated tablet contains Calcium Citrate Calcitriol Magnesium Hydroxide Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician.</p>	<p>U.S.P  .I.P. I.P.  I.P.</p>	<p>1000  0.25  100  22.5</p>	<p>mg mcg mg  mg</p>
159	<p><b>Aceclofenac and Drotaverine HCl Tablet</b> Each film coated tablet contains Aceclofenac Drotaverine Hydrochloride  Dosage: As directed by the physician</p>	<p>I.P.  I.P.</p>	<p>100  80</p>	<p>mg mg</p>
160	<p><b>Chlorthalidone Tablets I.P.</b> Each un coated tablet contains Chlorthalidone Excipients  Dosage: As directed by the physician</p>	<p>I.P.</p>	<p>12.5  Q.S.</p>	<p>mg</p>
161	<p><b>Chlorthalidone Tablets I.P.</b> Each un coated tablet contains Chlorthalidone Excipients  Dosage: As directed by the physician</p>	<p>I.P.</p>	<p>6.25  Q.S.</p>	<p>mg</p>
162	<p><b>Mefenamic Acid &amp; Paracetamol Tablets</b> Each un coated tablet contains Paracetamol Mefenamic Acid  Dosage: As directed by the physician</p>	<p>I.P.  I.P.</p>	<p>325  250</p>	<p>mg mg</p>
163	<p><b>Albendazole Tablets I.P.</b> Each chewable tablet contains Albendazole  Dosage: As directed by the physician</p>	<p>I.P.</p>	<p>400</p>	<p>mg</p>
164	<p><b>Calcium Carbonate , Calcitriol and Zinc Tablets</b>  Each film coated tablet contains Calcitriol Calcium Carbonate (from an organic source)( Oyster Shell) eq. to elemental Calcium Zinc Sulphate Monohydrate eq. to elemental Zinc Excipients  Dosage: As directed by the physician.</p>	<p>I.P.  I.P.  I.P.</p>	<p>0.25  1250  500  22.5  Q.S.</p>	<p>mcg mg mg  mg</p>
165	<p><b>Ampicillin and Dicloxacillin Dispersible Tablets</b> Each un coated dispersible tablet contains Ampicillin Trihydrate eq. to Ampicillin Anhydrous Dicloxacillin Sodium eq. to Dicloxacillin  Dosage: As directed by the physician</p>	<p>I.P.  I.P.</p>	<p>125  125</p>	<p>mg mg</p>



166	<b>Multivitamin, Multimineral &amp; Antioxidant Suspension with Lycopene</b> Each 15 ml Contains Lycopene 6% Vitamin A Cholecalciferol Vitamin E Thiamine Hydrochloride Riboflavin Sodium Phosphate Pyridoxine Hydrochloride Cyanocobalamin D-Panthenol L-Lysine Monohydrochloride In Flavoured Syrupy Base Dosage: As directed by the physician	U.S.P . I.P. I.P. I.P. I.P. I.P. I.P. I.P. U.S.P . . .	2500 1600 200 7.5 2 2.5 1.5 1 1.5 15 Q.S.	mcg I.U. I.U. I.U. mg mg mg mcg mg mg
167	<b>Ferrous Ascorbate ,Folic Acid , Vit B12 with Zinc Tablets</b> Each un coated tablet contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Vitamin B12 Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician	I.p. I.p. I.p.	30 1.5 15 22.5	mg mg mcg mg
168	<b>Cefixime &amp; Azithromycin Tablets with Lactic Acid Bacillus</b> Each film coated tablet contains Cefixime Trihydrate eq. to Cefixime Anhydrous Azithromycin Trihydrate eq. to Azithromycin Anhydrous Lactic Acid Bacillus Dosage: As directed by the physician	I.P. I.P.	200 250 60	mg mg million spores
169	<b>Alpha Lipoic Acid , Pyridoxine HCl , Methylcobalamin, Folic Acid &amp; Vitamin D3 Tablets</b> Each film coated tablet contains Alpha Lipoic Acid Pyridoxine HCl Methylcobalamin Folic Acid Vitamin D3 Excipients Dosage: As directed by the physician	U.S.P . I.P. I.P. I.P.	100 3 1500 1.5 1000 Q.S.	mg mg mcg mg I.U.
170	<b>Amoxicillin and Dicloxacillin Dispersible Tablets</b> Each un coated dispersible tablet contains Amoxicillin Trihydrate eq. to Amoxicillin Anhydrous Dicloxacillin Sodium eq. to Dicloxacillin Dosage: As directed by the physician	I.P. I.P.	125 125	mg mg
171	<b>Calcium Citrate Maleate, Calcitriol, Magnesium Hydroxide and Zinc Tablets</b> Each film coated tablet contains Calcium Citrate Calcitriol Magnesium Hydroxide Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician.	U.S.P . I.P. I.P. I.P.	1000 0.25 100 22.5	mg mcg mg mg

172	<p><b>Mecobalamin, Alpha Lipoic Acid, Vit B6, Folic Acid, Zinc Sulphate, Selenium, Chromium Picolinate, Biotin and Inositol Tablet</b></p> <p>Each film coated tablet contains Mecobalamin Alpha Lipoic Acid Vitamin B6 Folic Acid Zinc Sulphate Selenium (As Sodium Selenite) Chromium Picolinate Biotin Inositol Dosage: As directed by the physician</p>	<p>U.S.P . I.P. I.P. I.P. B.P. U.S.P . I.P. 60 100 2</p>	<p>1500 100 30 1.5 15 65 60 100 2</p>	<p>mcg mg mg mg mg mcg mcg mcg mg</p>
173	<p><b>Cefpodoxime Proxetil Dispersible Tablets 100 mg</b> Each un coated dispersible tablet contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician</p>	<p>I.P.</p>	<p>100</p>	<p>mg</p>
174	<p><b>Calcium Carbonate , Alfacalcidol and Zinc Tablets</b></p> <p>Each film coated tablet contains Alfa Calcidol Calcium Carbonate (from an organic source)( Oyster Shell) eq. to elemental Calcium Zinc Sulphate Monohydrate eq. to elemental Zinc Dosage: As directed by the physician.</p>	<p>I.P. I.P. I.P.</p>	<p>0.25 1250 500 7.5</p>	<p>mg mg mg mg</p>
175	<p><b>Multivitamin, Multimineral &amp; Antioxidants Tablets with Ginseng</b></p> <p>Each film coated tablet contains Ginseng Vitamin A Vitamin D3 Thiamine Hydrochloride Riboflavin Pyridoxine HCl Cyanocobalamin Niacinamide Folic Acid Copper Sulphate Potassium Iodide Magnesium Sulphate Zinc Sulphate Monohydrate Dosage: As directed by the physician.</p>	<p>B.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P.</p>	<p>42.5 2500 200 2 3 1.5 0.5 25 300 2 100 3 10</p>	<p>mg I.U. I.U. mg mg mg mcg mg mcg mg mcg mg mg</p>
176	<p><b>Alpha Lipoic Acid , Pyridoxine HCl , Methylcobalamin, Folic Acid &amp; Vitamin D3 Tablets</b></p> <p>Each film coated tablet contains Alpha Lipoic Acid Pyridoxine HCl Methylcobalamin Folic Acid Vitamin D3 Excipients Dosage: As directed by the physician</p>	<p>U.S.P . I.P. I.P. I.P.</p>	<p>100 3 1500 1.5 1000 Q.S.</p>	<p>mg mg mcg mg I.U.</p>
177	<p><b>Albendazole Tablet B.P</b></p> <p>Each uncoated chewable tablet contains Albendazole Dosage: As directed by the physician ( FOR EXPORT ONLY )</p>	<p>.P.</p>	<p>400</p>	<p>mg</p>
178	<p><b>Secnidazole Tablets</b> Each film tablet contains Secnidazole Dosage: As directed by the physician ( FOR EXPORT ONLY )</p>		<p>1000</p>	<p>mg</p>

179	<b>Calcium Carbonate With Vitamin D3 Tablets</b> Each film tablet contains Calcium Carbonate From An Organic Source ( Oyster Shell ) Eq. To Elemental Calcium Vitamin D3 Dosage: As directed by the physician	I.P. I.P.	1250 500 250	mg mg I.U.
180	<b>Calcium Carbonate And Vit. D3 Tablets</b> Each film coated tablet contains Calcium Carbonate And Vit. D3 Tablets From An Organic Source ( Oyster Shell ) Eq. To Elemental Calcium Vitamin D3 Dosage: As directed by the physician	I.P. I.P.	1.25 500 400	gm mg I.U.
181	<b>Cefixime &amp; Ofloxacin Tablets</b> Each film coated tablet contains Cefixime Trihydrate Eq. To Cefixime Anhydrous Ofloxacin Dosage: As directed by the physician	I.P. I.P.	200 200	mg mg
182	<b>Zinc Sulphate Tablet</b> Each uncoated tablets contains Zinc Sulphate Monohydrate Eq. To Elemental Zinc Dosage: As directed by the physician	.P.	50	mg
183	<b>Mecobalamin, Vit. B1,B6, Calcium Pantothenate &amp; Nicotinamide Tablet</b> Each film coated tablet contains Mecobalamin Vitamin B1 Vitamin B6 Calcium Pantothenate Nicotinamide Dosage: As directed by the physician	J.P . I.P I.P. I.P.	500 10 3 10 50	mcg mg mg mg mg
184	<b>Piracetam &amp; Citicoline Tablets.</b> Each film coated tablet contains Piracetam Citicoline Sodium Eq. to Citicoline Excipients	I.P. I.P.	800 500 Q.S.	mg mg
185	<b>Doxofylline MR Tablets</b> Each uncoated tablet contains Doxofylline Excipients	.P.	650 Q.S.	mg
186	<b>Doxofylline And Ambroxol Tablets</b> Each film coated tablet contains Doxofylline Ambroxol Excipients		400 30 Q.S.	mg mg
187	<b>Doxofylline (SR) And Montelukast Tablets</b> Each film coated tablet contains Doxofylline(SR) Montelukast Excipients		400/800 10 Q.S.	mg mg
188	<b>Doxofylline And Terbutalin Tablets</b> Each film coated tablet contains Doxofylline Terbutalin Excipients	I.P. I.P.	400 5 Q.S.	mg mg
189	<b>Doxofylline And Ambroxol Tablets</b> Each film coated tablet contains Doxofylline Ambroxol Excipients		200 30 Q.S.	mg mg
190	<b>Etoricoxib &amp; Thiocolchicoside Tablets.</b> Each film coated tablet contains: Etoricoxib Thiocolchicoside Dosage: As directed by the physician	I.P. I.P.	120 4	mg mg

191	<b>Etoricoxib &amp; Paracetamol Tablets.</b> Each film coated tablet contains: Etoricoxib Paracetamol Excipients Dosage: As directed by the physician	I.P. I.P.	60 325 q.s.	mg mg
192	<b>Telmisartan &amp; Metoprolol Succinate (prolonged- Release)Tablets.</b> Each film coated bilayered tablet contains: Telmisartan Metoprolol Succinate Eq. to Metoprolol Tartrate (As prolonged- release) Excipients Dosage: As directed by the physician	I.P. I.P.	40 47.5 50 q.s	mg mg mg
193	<b>Aceclofenac S.R. Tablets.</b> Each film coated sustained release tablet contains: Aceclofenac (As sustained release ) Excipients Dosage: As directed by the physician	I.P.	200 q.s.	g
194	<b>Levosulpiride Tablets.</b> Each uncoated tablet contains: Levosulpiride Excipients Dosage: As directed by the physician		25 q.s.	mg
195	<b>Etoricoxib &amp; Thiocolchicoside Tablets.</b> Each film coated tablet contains: Etoricoxib Thiocolchicoside Excipients Dosage: As directed by the physician	I.P. I.P.	60 4 q.s.	mg mg
196	<b>Etoricoxib &amp; Serratiopeptidase Tablet.</b> Each film coated tablet contains: Etoricoxib Serratiopeptidase (30,000 units of serratiopeptidase enteric coated granules) Excipients Dosage: As directed by the physician	I.P. I.P.	60 15 q.s.	mg mg
197	<b>Montelukast &amp; Acebrophylline Tablets.</b> Each film coated bilayered tablet contains: Montelukast Sodium Equivalent to Montelukast (immediate release form) Acebrophylline (in prolonged release form) Excipients Dosage: As directed by the physician	I.P. I.P.	10 200 q.s.	mg mg
198	<b>Ursodeoxycholic Acid Tablets.</b> Each film coated bilayered tablet contains: Ursodeoxycholic Acid Excipients Dosage: As directed by the physician		300 q.s.	
199	<b>Aceclofenac &amp; Paracetamol Tablets.</b> Each uncoated dispersible tablet contains: Aceclofenac Paracetamol Excipients Dosage: As directed by the physician	I.P. I.P.	50 250 q.s.	mg mg
200	<b>Pregabalin &amp; Nortriptyline Tablets.</b> Each film coated tablet contains: Pregabalin Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients Dosage: As directed by the physician	I.P. I.P.	75 10 q.s.	mg mg

201	<b>Pregabalin &amp; Nortriptyline Tablets.</b> Each film coated sustained release tablet contains: Pregabalin (As sustained release form) Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients	I.P. I.P.	75 10 q.s.	mg mg
202	<b>Methylprednisolone Tablets.</b> Each uncoated tablet contains: Methylprednisolone Excipients Dosage: As directed by the physician		4 q.s.	
203	<b>Methylprednisolone Tablets.</b> Each uncoated tablet contains: Methylprednisolone Excipients Dosage: As directed by the physician		16 q.s.	
204	<b>Montelukast &amp; Acebrophylline Tablets.</b> Each film coated bilayered tablet contains: Montelukast Sodium Equivalent to Montelukast (immediate release form) Acebrophylline (in prolonged release form) Excipients Dosage: As directed by the physician		10 200 q.s.	mg mg
205	<b>Aceclofenac &amp; Paracetamol Tablets.</b> Each uncoated dispersible tablet contains: Aceclofenac Paracetamol Excipients Dosage: As directed by the physician	I.P. I.P.	50 250 Q.S.	mg mg
206	<b>Etoricoxib &amp; Serratiopeptidase Tablet.</b> Each film coated tablet contains: Etoricoxib Serratiopeptidas (30,000 units of serratiopeptidase enteric coated granules) Excipients Dosage: As directed by the physician	I.P.	60 15	mg mg
207	<b>Pregabalin &amp; Nortriptyline Tablets.</b> Each film coated tablet contains: Pregabalin Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients Dosage: As directed by the physician	I.P.	75 10 q.s.	mg mg
208	<b>Pregabalin &amp; Nortriptyline Tablets.</b> Each film coated sustained release tablet contains: Pregabalin (As sustained release form) Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients Dosage: As directed by the physician	I.P.	75 10 q.s.	mg mg
209	<b>Cinnarizine &amp; Domperidone Tablets.</b> Each uncoated tablet contains: Cinnarizine Domperidone Dosage: As directed by the physician	I.P. I.P.	25 10	mg mg
210	<b>Eperisone Hcl Sustained Release Capsules.</b> Each hard gelatin capsule contains: Eperisone Hcl (As sustained release pellets) Excipients Approved colours used in empty capsule shells. Dosage: As directed by the physician		150 Q.S.	

211	<b>Memantine Hydrochloride &amp; Donepezil Hydrochloride Tablets.</b> Each film coated tablet contains: Memantine Hydrochloride Donepezil Hydrochloride Excipients Dosage: As directed by the physician	U.S.P . I.P.	10 5 Q.S	mg mg
212	<b>Aceclofenac, Paracetamol &amp; Eperisone Tablets.</b> Each film coated tablet contains: Aceclofenac Paracetamol Eperisone Excipients Dosage: As directed by the physician	.P.	100 325 75 Q.S	mg mg mg
213	<b>Albendazole &amp; Ivermectin Tablets.</b> Each uncoated tablet contains: Albendazole Ivermectin Excipients Dosage: As directed by the physician	I.P. I.P. (Vet.)	400 20 Q.S	mg mg
214	<b>Dextromethorphen HBR, Chlorpheniramine Maleate &amp; Phenylephrine Hcl Tablets.</b> Each film coated tablet contains: Dextromethorphen HBR Chlorpheniramine Maleate Phenylephrine Hcl Excipients Dosage: As directed by the physician	I.P. I.P. I.P.	10 2 5 Q.S.	mg mg mg
215	<b>Alpha Glycerylphosphorylcholine &amp; Piracetam Tablet.</b> Each film coated tablet contains: Alpha Glycerylphosphorylcholine Piracetam Excipients Dosage: As directed by the physician	.P.	250 800 Q.S.	mg mg
216	<b>Cerebroprotein Hydrolysate Tablets</b> Each film coated tablet contains: Cerebroprotein Hydrolysate Excipients Dosage: As directed by the physician		90 Q.S.	mg
217	<b>Fexofenadine Hydrochloride 120 mg Tablets.</b> Each film coated tablet contains: Fexofenadine Hydrochloride Excipients Dosage: As directed by the physician.	.P.	120 Q.S.	mg
218	<b>Fexofenadine Hydrochloride 180 mg Tablets.</b> Each film coated tablet contains: Fexofenadine Hydrochloride Excipients Dosage: As directed by the physician.	.P.	180 Q.S.	mg
219	<b>Paracetamol, Phenylephrine Hcl, Cetirizine Di- Hydrochloride Tablets.</b> Each uncoated tablet contains: Paracetamol Phenylephrine Hcl Cetirizine Di-Hydrochloride Excipients Dosage: As directed by the physician.	I.P. I.P. I.P.	500 5 5 Q.S.	mg mg mg
220	<b>Diclofenac Sodium Tablets.</b> Each uncoated tablet contains: Diclofenac Sodium Excipients Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	.P.	50 Q.S.	mg
221	<b>Diclofenac Sodium Dispersible Tablets.</b> Each dispersible tablet contains: Diclofenac Sodium Excipients Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	.P.	50 q.s.	mg

222	<b>Azithromycin 500 mg Tablet.</b> Each film coated tablet contains: Azithromycin Dihydrate Eq. to Anhydrous Azithromycin Excipients Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	U.S.P .	500 q.s.	mg
223	<b>Ferrous Ascorbate, Folic Acid &amp; Zinc Tablets.</b> Each film coated tablets contains: Ferrous Ascorbate Eq. to Elemental Iron Folic Acid Zinc Sulphate Monohydrate Eq. to Elemental Zinc Excipients Dosage: As directed by the physician.	I.P. I.P.	100 1.5 22.5	mg mg mg
224	<b>Betamethasone Sodium Phosphate Tablets.</b> Each uncoated tablet contains: Betamethasone Sodium Phosphate Eq. to Betamethasone Dosage: As directed by the physician.	I.P.	0.5	mg
225	<b>Cefixime Trihydrate Tablets U.S.P.</b> Each film coated tablets contains: Cefixime Trihydrate Eq. to Anhydrous Cefixime Excipients Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	U.S.P .	400 Q.S.	mg
226	<b>Ketorolac Tromethamine Dispersible Tablets 10 mg</b> Each uncoated dispersible tablet contains: Ketorolac Tromethamine Excipients Dosage: As directed by the physician.	I.P.	10 q.s.	mg
227	<b>Betahistine Hydrochloride Dispersible Tablets 16 mg</b> Each uncoated dispersible tablet contains: Betahistine Hydrochloric Excipients Dosage: As directed by the physician.	I.P.	16 Q.S.	mg
228	<b>Voriconazole Tablet.</b> Each film coated tablets contains: Voriconazole Excipients Dosage: As directed by the physician.	I.P.	200 Q.S.	mg
229	<b>Cefpodoxime Proxetil &amp; Ofloxacin Tablet.</b> Each film coated tablets contains: Cefpodoxime Proxetil Ofloxacin Excipients Dosage: As directed by the physician.	I.P. I.P.	200 200 Q.S.	mg mg
230	<b>Glimepiride &amp; Metformin Hydrochloride Prolonged Release Tablets.</b> Each uncoated bilayered tablet contains: Glimepiride Metformin Hydrochloride (in sustained release form) Excipients Dosage: As directed by the physician.	I.P. I.P.	1 500 Q.S.	mg mg
231	<b>Glimepiride &amp; Metformin Hydrochloride Prolonged Release Tablets.</b> Each uncoated bilayered tablet contains: Glimepiride Metformin Hydrochloride (in sustained release form) Excipients Dosage: As directed by the physician.	I.P. I.P.	2 500 Q.S.	mg mg

232	<b>Faropenem ER Tablets 300 mg</b> Each film coated extended release tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Dosage: As directed by the physician.		300 Q.S.	mg
233	<b>Faropenem Tablets 200 mg</b> Each film coated tablet contains: Faropenem Sodium Eq. to Faropenem Excipients Dosage: As directed by the physician.		200 Q.S.	mg
234	<b>Calcium Orotate Tablet 740 mg</b> Each film coated tablet contains: Calcium Orotate Dihydrate Eq. to Calcium Orotate Excipients Dosage: As directed by the physician.		740 Q.S.	mg
235	<b>Teneligliptin Hydrobromide Hydrate &amp; Metformin Hydrochloride (ER) tablets.</b> Composition: Each uncoated bilayer tablet contains: Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin Metformin Hydrochloride (As Extended Release) Excipients Dosage: As directed by the physician.	I.P.	20 500 Q.S.	mg mg
236	<b>Teneligliptin Hydrobromide Hydrate &amp; Metformin Hydrochloride (ER) tablets.</b> Composition: Each uncoated bilayer tablet contains: Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin Metformin Hydrochloride (As Extended Release) Excipients Dosage: As directed by the physician.	I.P.	20 1000 Q.S.	mg mg
237	<b>Tizanidine Tablets I.P.</b> Composition: Each uncoated tablet contains: Tizanidine Hydrochloride Eq. to Tizanidine Excipients Dosage: As directed by the physician.	I.P.	2 q.s.	mg
238	<b>Teneligliptin Tablets 20 mg</b> Composition: Each film coated tablet contains: Teneligliptin Hydrobromide Eq. to Teneligliptin Excipients Dosage: As directed by the physician.		20 q.s.	mg
239	<b>Vildagliptin Tablets.</b> Composition: Each uncoated tablet contains: Vildagliptin Excipients Dosage: As directed by the physician.		50 q.s.	mg
240	<b>Vildagliptin &amp; Metformin HCl Tablets.</b> Composition: Each film coated tablet contains: Vildagliptin Metformin HCl Excipients Dosage: As directed by the physician.	I.P.	50 500 q.s.	mg mg
241	<b>Levofloxacin Tablet.</b> Composition: Each film coated tablet contains: Levofloxacin Hemihydrate Eq. to Levofloxacin Excipients Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>		750 q.s.	mg



242	<p><b>Cefixime Tablets U.S.P. 200 mg</b>  Composition:  Each film coated tablet contains: Cefixime Trihydrate Eq. To Cefixime  Excipients  Dosage: As directed by the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P .	200 q.s.	mg
243	<p><b>Azithromycin Tablet.</b>  Composition:  Each film coated tablet contains:  Azithromycin Dihydrate eq. to Azithromycin Excipients Dosage: As directed by  the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P .	250 q.s.	mg
244	<p><b>Aceclofenac &amp; Paracetamol Tablets.</b> (For Children Below 15 years Of Age) Each  uncoated dispersible tablet contains: Aceclofenac  Paracetamol Excipients  Dosage: As directed by the physician</p>	I.P. I.P.	50 250 Q.S	mg mg
245	<p><b>Etoricoxib &amp; Serratiopeptidase Tablets.</b> Each film coated tablet contains:  Etoricoxib  Serratiopeptidase  (30,000 units of Serratiopeptidase enteric coated granules) Excipients  Dosage: As directed by the physician</p>	I.P. I.P.	60 15 Q.S.	mg mg
246	<p><b>Vitamin B-Complex Tablets.</b> Each film coated tablet contains: Thiamine  Hydrochloride (Vit.B1) Riboflavin (Vit.B2) Nicotinamide (Niacinamide)  Pyridoxine Hydrochloride (Vit.B6) Folic Acide  Cyanocobalamin (Vit.B12) Excipients Dosage: As directed by the physician  <b>(For Export Only)</b></p>	B.P. B.P. B.P. B.P. B.P. B.P.	1.0 1.0 15 1.0 0.5 1.0 q.s.	mg mg mg mg mg mcg
247	<p><b>Glimepiride &amp; Metformin Hydrochloride (Prolonged Release) Tablets.</b>  Composition:  Each uncoated bilayered tablet contains: Glimepiride Metformin  Hydrochloride (In sustained release form) Excipients Dosage: As directed by  the physician</p>	I.P. I.P.	1 850 q.s.	mg mg
248	<p><b>Glimepiride &amp; Metformin Hydrochloride</b>  (Prolonged Release) Tablets. Composition:  Each uncoated bilayered tablet contains: Glimepiride Metformin  Hydrochloride (In sustained release form) Excipients Dosage: As directed by  the physician</p>	I.P. I.P.	2 580 q.s.	mg mg
249	<p><b>Tadalafil Tablets.</b>  Each Film coated contains: Tadalafil Excipients  Dosage: As directed by the physician</p>	I.P.	20 q.s.	mg

250	<p><b>Glimepiride &amp; Metformin Hydrochloride (Prolonged Release) Tablets.</b> Composition: Each uncoated bilayered tablet contains: Glimepiride Metformin Hydrochloride (In sustained release form) Excipients Dosage: As directed by the physician</p>	I.P. I.P.	1 1000 q.s	mg mg
251	<p><b>Glimepiride &amp; Metformin Hydrochloride (Prolonged Release) Tablets.</b> Composition: Each uncoated bilayered tablet contains: Glimepiride Metformin Hydrochloride (In sustained release form) Excipients Dosage: As directed by the physician</p>	I.P. I.P.	2 1000 q.s.	mg mg
252	<p><b>Cefixime Dispersible Tablets.</b> Each uncoated dispersible tablet contains: Cefixime Trihydrate Eq. to Cefixime Excipients Dosage: As directed by the physician</p>	I.P.	50 q.s.	mg

## Capsule

Sr. no.	Composition	Std	Claim	Unit
1	<b>Pantoprazole Gastro Resistant &amp; Domperidone Prolonged Release Capsules I.P.</b> Each hard gelatin capsule contains: Pantoprazole Sodium (As Sesquihydrate) Eq.to Pantoprazole (As Gastro Resistant Pellets) Domperidone (As Prolonged Release Pellets) Excipients Dosage: As directed by the physician.	I.P.      I.P.	40    30	mg    mg q.s.
2	<b>Enteric Coated Rabeprazole Sodium &amp; Sustained Release Domperidone Capsules.</b> Each hard gelatin capsule contains: Rabeprazole Sodium (as enteric coated pellets) Domperidone (10 mg of immediate release pellets & 20 mg of sustained release form) Excipients Dosage: As directed by the physician.	I.P.      I.P.	20    30	mg    mg q.s.
3	<b>Rabeprazole Sodium (EC) &amp; Aceclofenac (SR) Capsules.</b> Each hard gelatin capsule contains: Rabeprazole Sodium (As Enteric Coated Pellets) Aceclofenac (As Sustained Release Pellets) Excipients Dosage: As directed by the physician.	I.P.      I.P.	20    200	mg    mg q.s.

4	<p><b>Tocophenyl Acetate 50% Capsule.</b>  Each hard gelatin capsule contains  Tocophenly Acetate 50 % Powder  Excipients  Dosage: As directed by the physician.</p>	I.P.	400	mg
5	<p><b>Doxycycline &amp; Lactic Acid Bacillus Capsules.</b> Composition:  Each hard gelatin capsule contains  Doxycycline Hydrochloride Eq.to Doxycycline  Lactic Acid Bacillus  Excipients  Dosage: As directed by the physician.</p>	I.P.	100 100	mg million spores q.s.
6	<p><b>Tamsulosin Hydrochloride (PR) &amp; Deflazacort Capsules.</b>  Each hard gelatin capsule contains  Tamsulosin Hydrochloride (As film coated prolonged release tablet)  Deflazacort  Dosage: As directed by the physician</p>	I.P.	0.4 30	mg mg
7	<p><b>Loperamide Hydrochloride Capsules.</b>  Each hard gelatin capsule contains  Loperamide Hydrochloride  Excipients  Dosage: As directed by the physician  <b>( For Export Only)</b></p>	U.S.P	2	mg q.s.

8	<b>Enteric Coated Esomeprazole and Domperidone Sustained Release Capsules</b> Each hard gelatin capsule contains Esomeprazole Magnesium Trihydrate eq. to Esomeprazole (as enteric coated pellets) Domperidone (as enteric coated pellets) Dosage: As directed by the physician	I.P. I.P.	20 10	mg mg
9	<b>Itraconazole Capsule 100 mg</b> Each hard gelatin capsule contains Itraconazole Pellets eq. to Itraconazole Excipients Dosage: As directed by the physician.	B.P.	100 Q.S.	mg
10	<b>Itraconazole Capsule 200 mg</b> Each hard gelatin capsule contains Itraconazole Pellets eq. to Itraconazole Excipients Dosage: As directed by the physician.	B.P.	200 Q.S.	mg
11	<b>Amoxicillin Capsule I.P.</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq. to anhydrous Amoxicillin Dosage: As directed by the Physician	I.P.	500	mg

12	<p><b>Carbonyl Iron, Folic Acid, Cyanocobalamin, Vit E, Selenium and Zinc Capsules</b>            Each hard gelatin capsule contains            Carbonyl Iron            equivalent to elemental Iron            Folic Acid            Cyanocobalamin            Vitamin E            Selenium Dioxide monohydrate            eq. to elemental Selenium            Zinc Sulphate Monohydrate            eq. to elemental Zinc            Dosage: As directed by the physician.</p>	<p>I.P.            I.P.            I.P.            U.S.P.            I.P.</p>	<p>100            1            5            15            65            22.5</p>	<p>mg            mcg            mcg            mg            mg            mg            mg</p>
13	<p><b>Multivitamin and Multimineral Capsules</b>            Each hard gelatin capsule contains            Vitamin A (as Acetate)            Vitamin E Acetate            (as Vit. E Acetate dry powder 50%)            Ascorbic Acid            Thiamine Mononitrate            Riboflavine            Pyridoxine Hydrochloride            Niacinamide            Folic Acid            Calcium Pantothenate            Zinc (Elemental)            (as Zinc Sulphate Monohydrate USP)            Copper Sulphate            Selenium Dioxide Monohydrate            eq. to elemental Selenium            Manganese Sulphate            Potassium Iodide            Magnesium Sulphate            Dosage: As directed by the physician.</p>	<p>I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            I.P.            U.S.P.            U.S.P.            I.P.            I.P.</p>	<p>5000            25            100            10            10            3            50            1            12.5            22.5            0.4            60            2.8            0.2            10</p>	<p>IU            IU            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg            mg</p>

14	<p><b>Alpha Lipoic Acid, Pyridoxine HCl, Methylcobalamin, Folic Acid &amp; Vitamin D3 Capsules</b> Each hard gelatin capsule contains Alpha Lipoic Acid Pyridoxine Hydrochloride Methylcobalamin Folic Acid Vitamin D3 Excipients Dosage: As directed by the physician.</p>	<p>U.S.P. I.P. I.P. I.P.</p>	<p>100 3 1500 1.5 1000 Q.S</p>	<p>mg mg mcg mg I.U.</p>
15	<p><b>Omeprazole and Domperidone Capsules</b> Each hard gelatin capsule contains Omeprazole (as enteric coated pellets) Domperidone Dosage: As directed by the physician</p>	<p>I.P. I.P.</p>	<p>20 10</p>	<p>mg mg</p>
16	<p><b>Omeprazole Capsules I.P.</b> Each hard gelatin capsule contains Omeprazole Dosage: As directed by the physician</p>	<p>I.P.</p>	<p>20</p>	<p>mg</p>
17	<p><b>Enteric Coated Rabeprazole and Sustained Release Domperidone Capsules</b> Each hard gelatin capsule contains Rabeprazole Sodium (as enteric coated pellets) Domperidone (sustained release pellets) Dosage: As directed by the physician</p>	<p>I.P. I.P.</p>	<p>20 30</p>	<p>mg mg</p>

18	<b>Enteric Coated Pantoprazole and Sustained Release Domperidone Capsules</b> Each hard gelatin capsule contains Pantoprazole sodium sesquihydrate eq. to Pantoprazole as enteric coated pellets Domperidone (as sustained release pellets) Dosage: As directed by the physician	I.P. I.P.	40 30	mg mg
19	<b>Enteric Coated Rabeprazole and Sustained Release Levosulpiride Capsules</b> Each hard gelatin capsule contains Rabeprazole Sodium (as enteric Coated pellets) Levosulpiride as sustained release pellets) Dosage: As directed by the physician	I.P.	20 75	mg mg
20	<b>Enteric Coated Esomeprazole and Sustained Release Domperidone Capsules</b> Each hard gelatin capsule contains Esomeprazole Magnesium Trihydrate eq. to Esomeprazole (as enteric coated pellets) Domperidone as sustained release pellets Dosage: As directed by the physician	I.P. I.P.	40 30	mg mg



21	<b>Amoxicillin Capsule I.P.</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq. to anhydrous Amoxicillin Dosage: As directed by the Physician	I.P.	500	mg
22	<b>Pregabalin with Methylcobalamin Capsules</b> Each hard gelatin capsule contains Pregabalin Methylcobalamin Dosage: As directed by the physician.	I.P. I.P.	75 750	mg mg
23	<b>Carbonyl Iron, Folic Acid, Cyanocobalamin &amp; Selenium with Zinc Capsules</b> Each hard gelatin capsule contains Carbonyl Iron eq.to elemental Iron Folic Acid Cyanocobalamin Selenium dioxide monohydrate eq. to Selenium Zinc Sulphate Monohydrate eq. to Elemental Zinc Dosage: As directed by the physician	I.P. I.P. U.S.P. I.P.	100 1 5 65 22.5	mg mg mcg mcg mg
24	<b>Amoxicillin Capsule I.P.</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq.to Amoxicillin Anhydrous Dosage: As directed by the physician.	I.P.	250	mg
25	<b>Fluconazole Capsules I.P.</b> Each hard gelatin capsule contains Fluconazole Dosage: As directed by the	I.P.	150	mg

	physician			
26	<b>Amoxicillin Capsules I.P.</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq.to Amoxicillin Anhydrous Dosage: As directed by the physician.	I.P.	250	mg
27	<b>Amoxicillin and Lactic Acid Bacillus Capsules</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq.to Amoxicillin Anhydrous Lactic Acid Bacillus Dosage: As directed by the physician.	I.P.	250 60	mg million spores
28	<b>Amoxicillin and Dicloxacillin with Lactic Acid Bacillus Capsules</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq. to Amoxicillin Dicloxacillin Sodium eq. to Dicloxacillin Lactic Acid Bacillus Dosage: As directed by the physician.	I.P. I.P.	250 250 60	mg mg million spores

29	<p><b>Amoxicillin and Dicloxacillin with Lactic Acid Bacillus Capsules</b>  Each hard gelatin capsule contains  Amoxicillin Trihydrate  eq. to Amoxicillin  Dicloxacillin Sodium  eq. to Dicloxacillin  Lactic Acid Bacillus  Dosage: As directed by the physician.</p>	I.P. I.P.	250 250 60	mg mg million spores
30	<p><b>Amoxicillin and Dicloxacillin Capsules</b>  Each hard gelatin capsule contains  Amoxicillin Trihydrate  eq. to Amoycillin Anhydrous  Dicloxacillin sodium  eq. to Dicloxacillin  Dosage: As directed by the physician</p>	I.P. I.P.	250 250	mg mg
31	<p><b>Lycopene with Multivitamin &amp; Multimineral Capsules</b>  Each hard gelatin capsule contains  Lycopene 6%  Selenium Dioxide Monohydrate  eq. to elemental Selenium  Vitamin A  Vitamin E (Acetate)  Thiamine Hydrochloride  Riboflavin  Pyridoxine Hydrochloride  Niacinamide  Zinc Sulphate Monohydrate  eq. to elemental Zinc  Chromium  Copper Sulphate  eq. to elemental Copper  Magnesium Chloride  Dosage: As directed by the</p>	U.S.P. U.S.P. I.P. I.P. I.P. I.P. I.P. I.P. U.S.P. I.P. I.P.	6000 60 5000 25 10 10 3 45 1 65 2 4.5	mcg mcg I.U. I.U. mg mg mg mg mg mcg mg mg

	physician			
32	<p><b>Amoxicillin and Cloxacillin with Lactic Acid Bacillus Capsules</b> Each hard gelatin capsule contains Amoxicillin Trihydrate eq. to Amoxicillin Cloxacillin Sodium eq. to Cloxacillin Lactic Acid Bacillus Dosage: As directed by the physician.</p>	<p>I.P. I.P.</p>	<p>250 250 60</p>	<p>mg mg million spores</p>

33	<b>Lycopene with Multivitamin, Multimineral &amp; Antioxidants Capsules</b> Each hard gelatin capsule contains Lycopene 10% Selenium Dioxide Monohydrate eq. to elemental Selenium Thiamine Monohydrate Riboflavin Pyridoxine HCl Cyanocobalamin Ascorbic Acid Coated Chromium Chloride Ginseng Potassium Iodide Niacinamide Manganese Sulphate Folic Acid Biotin Dosage : As directed by the physician	U.S.P. U.S.P. I.P. I.P. I.P. I.P. I.P. B.P. I.P. I.P. I.P. I.P. B.P.	5000 100 4.5 5 1.5 5 75 200 45 200 45 2.8 1 100	mcg mcg mg mg mg mcg mg mcg mg mg mg mg mcg mcg
34	<b>Methylcobalamin, Alpha Lipoic Acid, Vitamin B6 &amp; Folic Acid Capsules</b> Each hard gelatin capsule contains Methylcobalamin Alpha Lipoic Acid Vitamin B6 Folic Acid Dosage: As directed by the physician	I.P. U.S.P. I.P. I.P.	1500 100 1.5 1.5	mcg mg mg mg
35	<b>Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hcl &amp; Folic Acid Capsules</b> Each hard gelatin capsule contains Methylcobalamin Alpha Lipoic Acid Vitamin B6 Folic Acid	J.P. U.S.P. I.P. I.P.	1500 100 3 1.5	mcg mg mg mg

	Dosage: As directed by the physician			
36	<b>Oseltamivir Phosphate Capsule.</b> Each hard gelatin capsule contains: Oseltamivir Phosphate Equivalent to Oseltamivir Excipients Dosage: As directed by the physician	I.P.	30 q.s.	mg
37	<b>Oseltamivir Phosphate Capsule.</b> Each hard gelatin capsule contains: Oseltamivir Phosphate Equivalent to Oseltamivir Excipients Dosage: As directed by the physician	I.P.	75 q.s.	mg
38	<b>Enteric Coated Omeprazole &amp; Domperidone Sustained Release Capsules</b> Each hard gelatin capsules contains: Omeprazole (As enteric coated pellets) Domperidone (As sustained release pellets) Approved colours used in empty capsule shells. Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	U.S.P. B.P.	20 30	mg                  mg

39	<b>Omeprazole Capsules.</b> Each hard gelatin capsules contains: Omeprazole (As enteric coated pellets) Approved colours used in empty capsule shells. Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	U.S.P.	20	Mg
40	<b>Enteric Coated Esomeprazole and Levosulpiride Sustained Release Capsules</b> Each hard gelatin capsule contains Esomeprazole Magnesium Trihydrate eq. to Esomeprazole (as enteric coated pellets) Levosulpiride (as enteric coated pellets) Dosage: As directed by the physician	I.P. I.P.	40 75	mg mg
41	<b>Oseltamivir Phosphate Capsule.</b> Each hard gelatin capsule contains: Oseltamivir Phosphate Equivalent to Oseltamivir Excipients Dosage: As directed by the physician	I.P.	30 Q.S.	Mg
42	<b>Oseltamivir Phosphate Capsule.</b> Each hard gelatin capsule contains: Oseltamivir Phosphate Equivalent to Oseltamivir Excipients Dosage: As directed by the physician	I.P.	75 Q.S.	Mg

43	Loperamide Hydrochloride Capsules. Each hard gelatin capsule contains: Loperamide Hydrochloride Excipients Dosage: As directed by the physician (For Export Only)	U.S.P.	2 q.s.	Mg
----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	-----------	----



Injectable

Sr. no.	Composition	Std	Claim	Unit
1	<b>Cefoperazone &amp; Sulbactam For Injection 1500 mg.</b> Each vial contains: Sterile Cefoperazone Sodium Eq. to Anhydrous Cefoperazone Sterile Sulbactam Sodium Eq. to Anhydrous Sulbactam Dosage : As directed by the physician.	U.S.P. U.S.P.	1000 500	mg mg
2	<b>Ceftriaxone Injection IP 1 gm</b> Each vial contains: Sterile Ceftriaxone Sodium Eq. to Ceftriaxone	I.P.	1000	mg
3	<b>Iron Sucrose Injection U.S.P.</b> Each vial contains: Iron Sucrose Complex Eq. to Elemental Iron Water for Injection	I.P.	20	mg q.s.
4	<b>Pantoprazone for Injection 40 mg</b> Each vial contains: Pantoperazole Sodium (Sterile - Lyophilized) Eq. to Pantoperazole	I.P.	40	mg
5	<b>Diclofenec Sodium Injection I.P. 1 ml.</b> Each ml contains: Diclofenec Sodium Benzyl Alcohol (As Preservative) Water For Injection	I.P. I.P. I.P.	75 4.0 %	mg v/v q.s.
6	<b>Ceftriaxone &amp; Sulbactam for Injection</b> Each vial contains: Sterile Ceftriaxone Sodium Eq. to Ceftriaxone Sterile Sulbactam Sodium Eq. to Sulbactam Dosage: As directed by the physician.	I.P. I.P.	1000 500	mg mg
7	<b>Piperacillin &amp; Tazobactam Injection IP</b> Each vial contains: Sterile Piperacillin Sodium Eq. to Piperacillin Sterile Tazobactam Sodium Eq. to Tazobactam Dosage: As directed by the physician.	I.P. I.P.	4000 500	mg mg
8	<b>Methylprednisolone Sodium Succinate For Injection Injection U.S.P.</b> Composition: Each vial contains: Methylprednisolone Sodium Succinate Eq. to Methylprednisolone Water for Injection Dosage: As directed by the physician.	U.S.P.	125	mg
9	<b>Levosulpiride Injection.</b> Each 2 ml contains: Levosulpiride Benzyl Alcohol Water for Injection Dosage: As directed by the physician.	I.P.	25	mg q.s.

10	<p><b>Piroxicam Injection.</b> Each ml contains: Piroxicam Benzyl Alcohol Water for Injection Dosage: As directed by the physician.</p>	I.P. I.P.	20 2%	mg v/v q.s.
11	<p><b>Ketorolac Tromethamine Injection.</b> KETRALGIN INJECTION. Each ml contains: Ketorolac Tromethamine Sodium Chloride Water for Injection Dosage: As directed by the physician. (For Export Only)</p>	U.S.P. U.S.P. U.S.P.	30 4.35	mg mg q.s.
12	<p><b>Octreotide Acetate Injection</b> Each ml contains: Octreotide Acetate Eq. to Octreotide Water for Injection Dosage: As directed by the physician.</p>	U.S.P	<b>50</b>	mcg q.s.
13	<p><b>Aztreonam For Injection U.S.P.</b> Each vial contains: Aztreonam Eq. to Anhydrous Aztreonam (A mixture of Sterile Aztreonam &amp; L-Arginine Approximately 780 mg) Dosage: As directed by the physician.</p>	U.S.P. I.P.	<b>1</b>	gm
14	<p><b>Cerebroprotein Hydrolysate For Injection 60 mg</b> Each lyophilized vial contains: Cerebroprotein Hydrolysate Equivalent to nitrogen Dosage: As directed by the physician.</p>		2100 60	mg (approx.) mg
15	<p><b>Clindamycin Phosphate Injection I.P</b> Each ml contains: Clindamycin Phosphate Eq. to Clindamycin Water for Injection Dosage: As directed by the physician.</p>	I.P. I.P.	<b>150</b>	mg q.s.
16	<p><b>Meropenem &amp; Tazobactam For Injection .</b> Each vial contains: Meropenem Trihydrate Eq. to Meropenem Sterile Tozobactum Sodium Eq. to Tozobactam Dosage: As directed by the physician.</p>	I.P. U.S.P.	500 50	mg mg
17	<p><b>Ceftazidime &amp; Tazobactam Injection .</b> Each vial contains: Sterile Ceftazidime Eq. to Anhydrous Ceftazidime (Sterile bland of Ceftazidime Pentahydrate I.P.&amp; Sterile Tozobactum Sodium) Eq. to Anhydrous Tozobactam Dosage: As directed by the physician.</p>	1000 125	I.P. U.S.P.	mg mg

18	<p><b>Meropenem&amp; Sulbactam For Injection 1500 mg .</b>  Each vial contains: Meropenem (Sterile)  Eq. to Anhydrous Meropenem  (A sterile mixture of Meropenem I.P. &amp; Sodium Carbonate I.P.) Sulbactam Sodium (Sterile)  Eq. to Anhydrous Sulbactam Disodium EDTA  Dosage: As directed by the physician.</p>	I.P. I.P. I.P.	1000 500 37.5	mg mg mg
19	<p><b>Meropenem For Injection I.P. 1000 mg .</b>  Each vial contains: Meropenem (Sterile)  Eq. to Anhydrous Meropenem Sodium Carbonate  Eq. to Sodium Disodium EDTA  Dosage: As directed by the physician.</p>	I.P. I.P. I.P.	1000 86 37.5	mg mg mg
20	<p><b>Ceftazidime &amp; Sulbactum Injection .</b> Each vial contains:  Sterile Ceftazidime  Eq. to Anhydrous Ceftazidime  (Sterile bland of Ceftazidime Pentahydrate I.P.&amp; Sterile Sulbactum Sodium)  Eq. to Anhydrous Sulbactum  Dosage: As directed by the physician.</p>	I.P. U.S.P.	2000 1000	mg mg
21	<p><b>Ceftriaxone Sodium For Injection I.P. 250 mg</b>  Each vial contains  Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone  Dosage: As directed by the physician.</p>	I.P.	250	mg
22	<p><b>Ceftriaxone Sodium For Injection I.P. 500 mg</b>  Each vial contains  Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone  Dosage: As directed by the physician.</p>	I.P.	500	mg
23	<p><b>Ceftriaxone Sodium &amp; Sulbactam Sodium For Injection 375 mg</b>  Each vial contains:-  Sterile Ceftriaxone sodium eq. to Anhydrous Ceftriaxone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam  Dosage: As directed by the physician.</p>	I.P. U.S.P.	250 125	mg mg
24	<p><b>Ceftriaxone Sodium &amp; Sulbactam For Injection 750 mg</b>  Each vial contains  Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam  Dosage: As directed by the physician.</p>	I.P. U.S.P.	500 250	mg mg

25	<b>Ceftriaxone Sodium &amp; Tazobactam sodium For Injection 281.25 mg</b> Each vial contains Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone Sterile Tazobactam Sodium eq. to Anhydrous Tazobactam Dosage: As directed by the physician.	I.P. U.S.P.	250 31.25	mg mg
26	<b>Ceftriaxone Sodium &amp; Tazobactam sodium For Injection 1125 mg</b> Each vial contains Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone Sterile Tazobactam Sodium eq. to Anhydrous Tazobactam Dosage: As directed by the physician.	I.P. U.S.P.	1000 125	mg mg
27	<b>Sterile Azithromycin For Injection U.S.P. 500 mg/5ml (For IV INFUSION ONLY)</b> Each ml of the reconstituted solution contains: Azithromycin Monohydrate eq. to Azithromycin (Lyophilized) Dosage: As directed by the physician.	U.S.P.	100	mg
28	<b>Pantoprazole Sodium For Injection 40 mg (For IV USE ONLY)</b> Each vial contains: Sterile Pantoprazole Sodium eq. to Pantoprazole Anhydrous (Lyophilized) Dosage: As directed by the physician.	I.P.	40	mg
29	<b>Amikacin Sulphate Injection I.P. 500 mg</b> Each 2 ml contains: Amikacin Sulphate eq. to Amikacin Methyl Paraben Propyl Paraben (As Preservatives) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	500 0.18% 0.02% Q.S.	mg w/v w/v
30	<b>Amikacin Sulphate Injection I.P. 100 mg</b> Each 2 ml contains: Amikacin Sulphate eq. to Amikacin Methyl Paraben Propyl Paraben (As Preservatives) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	100 0.1 8% 0.02% Q.S.	mg w/v w/v
31	<b>Tramadol HCl Injection 100 mg/2ml</b> Each ml contains Tramadol Hydrochloride Water For Injection Dosage: As directed by the physician.	I.P. I.P.	50 Q.S.	mg
32	<b>Cholecalciferol Injection. (600,000 IU/ml)</b> Each ml contains: Cholecalciferol Ethyl Oleate Dosage: As directed by the physician.	I.P. I.P.	600,000 q.s.	I.U.

33	<b>Artemether Injection.</b> Each ml contains: Artemether Oily Base Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>		80 q.s.	mg
34	<b>Artemether Injection.</b> Each ml contains: Artemether Oily Base Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>		40 q.s.	mg
35	<b>Afirstcef 1gm</b> Composition: Each vial contains: Sterile Ceftriaxone Sodium Eq. to Ceftriaxone Dosage: As directed by the physician. <b>(FOR EXPORT ONLY)</b>	U.S.P.	1000	mg
36	<b>Thiocolchicoside.</b> Each ml contains: Thiocolchicoside (Water for Injection) Dosage: As directed by the physician.	I.P.	2 q.s.	mg
37	<b>Methylcobalamin 1500 mcg Injection</b> Each Ampoule contains: Methylcobalamin Benzyl Alcohol (As preservatives) Water For Injection Dosage: As directed by the physician.	I.P. I.P.	1500 1.50% Q.S. Q.S.	mcg v/v
38	<b>Methylcobalamin 2500 mcg Injection</b> Each Ampoule contains: Methylcobalamin Benzyl Alcohol (As preservatives) Water For Injection Dosage: As directed by the physician.	I.P. I.P.	2500 1.50% Q.S.	mcg v/v
39	<b>Calcitriol Injection.</b> Each ml contains Calcitriol Oily Base Dosage: As directed by the physician.	I.P.	0.25 Q.S.	mcg
40	<b>Citicoline Sodium Injection I.P.</b> Each ml contains Citicoline Sodium eq. to Citicoline Water For Injection Dosage: As directed by the physician.	I.P. I.P.	250 Q.S.	mg
41	<b>Gentamicin Sulphate Injection I.P.</b> Each 2 ml contains Gentamicin Sulphate eq. to Gentamicin Methyl Paraben (As Preservative) Propyl Paraben (As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	80 0.18% 0.02% Q.S.	mg w/v w/v

42	<b>Methylcobalamin, Thiamine HCl, Pyridoxine HCl &amp; Niacinamide Injection</b> Each 2 ml contains Methylcobalamin Thiamine HCl Pyridoxine HCl Niacinamide Water For Injection Dosage: As directed by the physician.	J.P. I.P. I.P. I.P. I.P.	1000 100 100 100 Q.S.	mcg mg mg mg
43	<b>Methylcobalamin, Pyridoxine HCl , Niacinamide &amp; D-Panthenol with Benzyl Alcohol Injection</b> Each 2 ml contains Methylcobalamin Pyridoxine HCl Niacinamide D-Panthenol Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P.	1000 100 100 50 2% q.s.	mcg mg mg mg v/v
44	<b>Methylcobalamin, Pyridoxine HCl &amp; Niacinamide Injection</b> Each 2 ml contains Methylcobalamin Pyridoxine HCl Niacinamide Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	1500 100 100 2% q.s.	mcg mg mg v/v
45	<b>Methylcobalamin Injection</b> Each ml contains Methylcobalamin Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P.	500 2% q.s.	mcg v/v
46	<b>Thiamine HCl Injection I.P.</b> Each ml contains Thiamine Hydrochloride Water For Injection Dosage: As directed by the physician.	I.P. I.P.	100 q.s.	mg
47	<b>Methylcobalamin Injection</b> Each ml contains Methylcobalamin Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P.	750 2% q.s.	mcg v/v
48	<b>Methylcobalamin, Vit. B6 &amp; Nicotinamide Injection</b> Each ml contains Methylcobalamin Vit. B6 Nicotinamide Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	500 50 50 2% Q.S.	mcg mg mg v/v
49	<b>Meropenam For Injection I.P.</b> Each vial contains:- Meropenam Trihydrate eq. to Meropenam Anhydrous Sodium (As Sodium Carbonate I.P.) Dosage: As directed by the physician.	I.P.	1 90.2	gm mg
50	<b>Tranexamic Acid Injection I.P.</b> Each ml contains Tranexamic Acid Water For Injection Dosage: As directed by the physician.	I.P. I.P.	100 Q.S.	mg

51	<p><b>Ceftriaxone Sodium &amp; Tazobactam For Injection</b>  <b>562.5 mg</b> Each vial contains:- Sterile Ceftriaxone sodium eq. to Anhydrous Ceftriaxone Sterile Tazobactam Sodium eq. to Anhydrous Tazobactam          Dosage: As directed by the physician.</p>	I.P. U.S.P.	500 62.5	mg mg
52	<p><b>Ceftriaxone Sodium &amp; Sulbactam Sodium For Injection</b>  <b>375 mg</b>          Each vial contains:-          Sterile Ceftriaxone sodium eq. to Anhydrous Ceftriaxone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam          Dosage: As directed by the physician.</p>	I.P. U.S.P.	250 125	mg mg
53	<p><b>Amoxicillin Sodium &amp; Potassium Clavulanate Injection</b>  <b>I.P.</b> Each vial contains:-          Sterile Amoxicillin Sodium eq. to Anhydrous Amoxicillin Sterile Clavulanate Potassium eq. to Clavulanic Acid          Dosage: As directed by the physician.</p>	I.P.	1 0.2	gm gm
54	<p><b>Drotaverine HCl Injection</b> Each ml contains Drotaverine Hydrochloride Water For Injection          Dosage: As directed by the physician.</p>	I.P.	20 q.s.	mg
55	<p><b>Methylcobalamin, Pyridoxine HCl, Niacinamide &amp; D-Panthenol with Benzyl Alcohol Injection</b>          Each 2 ml contains Methylcobalamin Pyridoxine HCl Niacinamide          D-Panthenol Benzyl Alcohol Water For Injection          Dosage: As directed by the physician.</p>	I.P. I.P. I.P. I.P. I.P.	1000 100 100 50 2% Q.S.	mcg mg mg mg v/v
56	<p><b>Nandrolone Decanoate Injection I.P.</b>          Each ml contains Nandrolone Decanoate Oily Base          Dosage: As directed by the physician.  <b>(For I.M USE Only)</b></p>	I.P.	50 Q.S.	mg
57	<p><b>Nandrolone Decanoate Injection I.P.</b>          Each ml contains Nandrolone Decanoate Oily Base          Dosage: As directed by the physician.  <b>(For I.M USE Only)</b></p>	I.P.	25 Q.S.	mg

58	<p><b>Cefoperazone &amp; Sulbactam For Injection</b>            Each vial contains            Sterile Cefoperazone Sodium eq. to Anhydrous Cefoperazone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam            Dosage: As directed by the physician.</p>	I.P. U.S.P.	500 500	mg mg
59	<p><b>Sodium Bicarbonate Injection I.P.</b>            Composition Sodium Bicarbonate Water For Injection            Excipients            Dosage: As directed by the physician.  <b>(For I.V. Infusion Only)</b></p>	I.P. I.P.	5% Q.S. Q.S.	w/v
60	<p><b>Arteether Injection</b> Each 2 ml contains Arteether            Oily Base Excipients            Dosage: As directed by the physician.</p>	I.P.	150 Q.S. Q.S.	mg
61	<p><b>Triamcinolone Acetonide Injection I.P.</b>            Each ml contains Triamcinolone Acetonide Water For Injection            Dosage: As directed by the physician.  <b>(For Intramuscular use only)</b></p>	I.P. I.P.	40 Q.S.	mg
62	<p><b>Methylcobalamin, Pyridoxine HCl, Niacinamide &amp; D-Panthenol with Benzyl Alcohol Injection</b>            Each 2 ml contains Methylcobalamin Pyridoxine HCl Niacinamide            D-Panthenol Benzyl Alcohol Water For Injection            Dosage: As directed by the physician.</p>	I.P. I.P. I.P. I.P. I.P.	1500 100 100 50 2% Q.S.	mcg mg mg mg v/v
63	<p><b>Methylcobalamin, Thiamine HCl, Pyridoxine HCl, Niacinamide &amp; D-Panthenol with Benzyl Alcohol Injection</b>            Each 2 ml contains Methylcobalamin Thiamine HCl Pyridoxine HCl Niacinamide            D-Panthenol Benzyl Alcohol Water For Injection            Dosage: As directed by the physician.</p>	I.P. I.P. I.P. I.P. I.P.	1500 100 100 100 50 2% Q.S.	mcg mg mg mg mg v/v
64	<p><b>Meropenam &amp; Tazobactam For Injection</b>            Each vial contains Meropenam Trihydrate eq. to Anhydrous Meropenam Sterile Tazobactam Sodium eq. to Anhydrous Tazobactam            Dosage: As directed by the physician.</p>	I.P. U.S.P.	1 125	gm mg
65	<p><b>Cefotaxime Sodium For Injection I.P.</b>            Each vial contains            Sterile Cefotaxime Sodium eq. to Anhydrous Cefotaxime            Dosage: As directed by the physician.</p>	I.P.	500	mg



66	<b>Meropenam For Injection I.P.</b> Each vial contains:- Meropenam Trihydrate eq. to Anhydrous Meropenam Dosage: As directed by the physician.	I.P.	125	mg
67	<b>Cefepime &amp; Tazobactam Injection 1.125 gm</b> Each vial contains Cefepime Hydrochloride eq. to Anhydrous Cefepime Sterile Tazobactam Sodium eq. to Tazobactam Water For Injection Dosage: As directed by the physician.	I.P. I.P.	1 125 Q.S.	gm mg
68	<b>Cefepime &amp; Sulbactam Injection 1.500 gm</b> Each vial contains Cefepime Hydrochloride eq. to Anhydrous Cefepime Sterile Sulbactam Sodium eq. to anhydrous Sulbactam Water For Injection Dosage: As directed by the physician.	I.P. U.S.P I.P.	1 500 Q.S.	gm mg
69	<b>Methylcobalamin Injection</b> Each ml contains Methylcobalamin Benzyl Alcohol (AS Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P.	1000 2% q.s.	mcg v/v
70	<b>Imipenem &amp; Cilastatin For Injection I.P.</b> Each vial contains Imipenem eq. to anhydrous Imipenem Cilastatin Sodium eq. to anhydrous Cilastatin Dosage: As directed by the physician.	I.P. I.P.	500 500	mg mg
71	<b>Ceftriaxone and Sulbactam for Injection 187.5 mg</b> Each vial contains Sterile Ceftriaxone Sodium eq. to anhydrous Ceftriaxone Sterile Sulbactam Sodium eq. to anhydrous Sulbactam Dosage: As directed by the physician.	I.P. U.S.P.	125 62.5	mg mg
72	<b>Triamcinolone Acetonide Injection I.P.</b> Each ml contains Triamcinolone Acetonide Benzyl Alcohol (As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	40 1% Q.S.	mg v/v
73	<b>Artesunate For Injection 60 mg</b> Each vial contains Artesunate Dosage: As directed by the physician.	I.P.	60	mg
74	<b>Artesunate For Injection 120 mg</b> Each vial contains Artesunate Dosage: As directed by the physician.	I.P.	120	mg

75	<b>Methylcobalamin, Vit. B6, Nicotinamide &amp; Calcium Pantothenate Injection</b> Each 2 ml contains Methylcobalamin Nicotinamide Pyridoxine HCl Calcium Pantothenate Benzyl Alcohol (As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P.	1000 100 100 50 2% Q.S.	mcg mg mg mg v/v
76	<b>Levetiracetam Concentrate For Infusion</b> Each ml contains Levetiracetam Water For Injection Dosage: As directed by the physician.	I.P.	100 Q.S.	mg
77	<b>Granisetron Injection</b> Each ml contains Granisetron Hydrochloride eq. to Granisetron Water For Injection Dosage: As directed by the physician.	B.P. I.P.	1 Q.S.	mg
78	<b>Cefoperazone For Injection I.P. 250 mg</b> Each vial contains Sterile Cefoperazone Sodium eq. to Anhydrous Cefoperazone Dosage: As directed by the physician.	I.P.	250	mg
79	<b>Thiamine HCl Injection I.P.</b> Each ml contains Thiamine Hydrochloride Water For Injection Dosage: As directed by the physician.	I.P. I.P.	100 Q.S.	mg
80	<b>Thiamine HCl, Pyridoxine HCl, Cyanocobalamin, Riboflavin Sodium Phosphate, Niacinamide &amp; D-Panthenol Injection</b> Each 3 ml contains Thiamine HCl Pyridoxine HCl Cyanocobalamin Riboflavin Sodium Phosphate Niacinamide D-Panthenol Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P. I.P. I.P.	100 100 1000 5 100 50 0.90% Q.S.	mg mg mcg mg mg mg v/v
81	<b>Ceftriaxone Sodium For Injection I.P. 1000 mg</b> Each vial contains Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone Dosage: As directed by the physician.	I.P.	1000	mg
82	<b>Ceftriaxone Sodium &amp; Sulbactam For Injection 1500 mg</b> Each vial contains Sterile Ceftriaxone Sodium eq. to Anhydrous Ceftriaxone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam Dosage: As directed by the physician.	I.P. U.S.P.	1000 500	mg mg

83	<b>Piperacillin Sodium and Tazobactam For Injection U.S.P.</b> Each vial contains Sterile Piperacillin Sodium eq. to Piperacillin Anhydrous Sterile Tazobactam Sodium eq. to Anhydrous Tazobactam Dosage: As directed by the physician.(For IV USE only)	U.S.P. U.S.P.	4000 500	mg mg
84	<b>Cefoperazone &amp; Sulbactam Sodium For Injection</b> Each vial contains:- Sterile Cefoperazone Sodium eq. to Anhydrous Cefoperazone Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam Dosage: As directed by the physician.	I.P. U.S.P.	1000 500	mg mg
85	<b>Meropenam &amp; Sulbactam For Injection</b> Each vial contains Meropenam Trihydrate eq. to Anhydrous Meropenam Sterile Sulbactam Sodium eq. to Anhydrous Sulbactam Dosage: As directed by the physician.	I.P. U.S.P.	1 0.5	gm gm
86	<b>Amikacin Sulphate Injection I.P. 250 mg</b> Each 2 ml contains: Amikacin Sulphate eq. to Amikacin Methyl Paraben Propyl Paraben (As Preservatives) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	250 0.18% 0.02% Q.S.	mg w/v w/v
87	<b>Diclofenac Sodium Injection I.P. 3 ml</b> Each ml contains Diclofenac Sodium Benzyl Alcohol (As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	25 4.00% Q.S.	mg v/v
88	<b>Alpha Beta Arteether Injection</b> Each ml contains Alpha Beta Arteether Oily Base Dosage: As directed by the physician.		75 q.s.	mg
89	<b>Ranitidine HCl Injection I.P.</b> Each ml contains Ranitidine Hydrochloride eq. to Ranitidine Phenol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	25 0.50% Q.S.	mg v/v
90	<b>Diclofenac Sodium Injection I.P</b> Each ml contains Diclofenac Sodium Benzyl Alcohol (As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	75 4.00% Q.S.	mg v/v

91	<b>Betamethasone Sodium Phosphate Injection I.P.</b> Each ml contains Betamethasone Sodium Phosphate eq. to Betamethasone Methyl Paraben (As Preservative) Propyl Paraben ( As Preservative) Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	4 0.18% 0.02% Q.S.	mg w/v w/v
92	<b>Etofylline &amp; Theophylline Injection</b> Each ml contains Etofylline Theophylline I.P. Anhydrous eq. to Theophylline I.P. Hydrate Water For Injection Dosage: As directed by the physician.	B.P. I.P.	84.7 25.3 Q.S.	mg mg
93	<b>Ondansetron HCl Injection I.P. 4 mg/2 ml</b> Each ml contains Ondansetron Hydrochloride eq. to Ondansetron Water For Injection Dosage: As directed by the physician.	I.P. I.P.	2 Q.S.	mg
94	<b>Vit. B12, Cholecalciferol, Calcium Gluconolactobionate Injection</b> Each ml contains Vit. B12 Cholecalciferol Calcium Glucono Lactobionate Benzyl Alcohol Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	50 5000 137.5 1.50% Q.S.	mcg IU mg v/v
95	<b>Cefoperazone For Injection I.P. 1000 mg</b> Each vial contains Sterile Cefoperazone Sodium eq. to Anhydrous Cefoperazone Dosage: As directed by the physician.	I.P.	1000mg	mg
96	<b>Cefuroxime Injection I.P. 750 mg</b> Each vial contains Sterile Cefuroxime Sodium eq. to Anhydrous Cefuroxime Water For Injection Dosage: As directed by the physician.	I.P. I.P.	750 Q.S.	mg
97	<b>Sodium Valproate Injection</b> Each ml contains Sodium Valproate eq. to Valproic Acid Water For Injection	I.P. I.P.	100 Q.S.	mg
98	<b>Methylcobalamin, Pyridoxine HCl and Nicotinamide Injection</b> Each 2 ml contains Methylcobalamin Pyridoxine HCl Nicotinamide Water For Injection	J.P. I.P. I.P. I.P.	1000 100 10 Q.S.	mcg mg mg

100	<p><b>Piperacillin Sodium And Tazobactam For Injection USP 1.125 gm</b>  Each vial contains  Sterile Piperacillin Sodium  Eq. To Piperacillin ( Anhydrous ) Sterile Tazobactam Sodium  Eq. To Tazobactam ( Anhydrous ) Dosage: As directed by the physician.</p>	U.S.P. U.S.P.	1000 125	mg mg
101	<p><b>Sodium Valproate Injection</b>  Each ml contains Sodium Valproate Eq. To Valproic Acid Water For Injection  Dosage: As directed by the physician.</p>	I.P. I.P.	200 Q.S.	mg
102	<p><b>Cefotaxime Sodium For Injection I.P</b>  Each vial contains  Sterile Cefotaxime Sodium Eq. To Anhydrous Cefotaxime Water For Injection  Dosage: As directed by the physician.</p>	I.P. I.P.	1000 Q.S.	mg
103	<p><b>Ceftriaxone Sodium For Injection U.S.P</b>  Each vial contains  Sterile Ceftriaxone Sodium Eq. To Anhydrous Ceftriaxone  Dosage: As directed by the physician.  <b>( For Export Only )</b></p>	U.S.P.	1000	mg
104	<p><b>Vancomycin Hydrochloride For Injection U.S.P</b>  Each vial contains Vancomycin Hydrochloride Eq. To Anhydrous Vancomycin  Dosage: As directed by the physician.  <b>( For Export Only )</b></p>	U.S.P.	1	gm
105	<p><b>Methylcobalamin, Nicotinamide &amp; Folic Acid Injection</b>  Each 2ml contains Methylcobalamin  Nicotinamide Folic Acid Benzyl Alcohol  ( As Preservative ) Water For Injection  Dosage: As directed by the physician.</p>	J.P. I.P. I.P. I.P. I.P.	1500 12 0.7 2% Q.S.	mcg mg mg v/v
106	<p><b>Piracetam Injection</b> Each ml contains Piracetam Water For Injection  Dosage: As directed by the physician.</p>	I.P. I.P.	200 Q.S.	mg
107	<p><b>Folic Acid , B12 &amp; Niacinamide Injection</b>  Each ml contains Folic Acid Cyanocobalamin  Niacinamide Benzyl Alcohol  ( As Preservative )  Phenol  ( As Preservative ) Water For Injection  Dosage: As directed by the physician.</p>	I.P. I.P. I.P. I.P. I.P.	15 500 200 2.50% 0.50% Q.S.	mg mcg mg v/v v/v

Eye & Ear Drop

Sr. no.	Composition	Std	Claim	Unit
1	<b>Moxifloxacin &amp; Ketorolac Tromethamine Ophthalmic Solution.</b> Composition: Moxifloxacin Hydrochloride Eq. to Moxifloxacin Ketorolac Tromethamine Benzalkonium Chloride Solution (As Preservative) Sterile aqueous vehicle Dosage: As directed by the physician.	I.P. I.P. I.P.	0.5 % 0.5 % 0.02 % q.s.	w/v w/v v/v
2	<b>Sodium Carboxymethyl Cellulose Eye Drops</b> Each ml contains Sodium Carboxymethyl Cellulose Stabilised Oxychloro Complex Sterile Aqueous Vehical Dosage: As directed by the physician.	I.P.	0.50% 0.01% Q.S.	w/v w/v
3	<b>Sodium Carboxymethyl Cellulose Eye Drops</b> Each ml contains Sodium Carboxymethyl Cellulose Stabilised Oxychloro Complex Sterile Aqueous Vehical Dosage: As directed by the physician.	I.P.	1 0.01% Q.S.	mg w/v
4	<b>Ofloxacin &amp; Dexamethasone Sodium Phosphate Eye Drops</b> Composition:- Ofloxacin Dexamethasone Sodium Phosphate Eq. to Dexamethasone Phosphate Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	0.30% 0.10% Q.S.	w/v w/v
5	<b>Moxifloxacin Eye Drops I.P.</b> Composition:- Moxifloxacin HCl eq. to Moxifloxacin Water For Injection Dosage: As directed by the physician.	I.P. I.P.	0.50% Q.S.	w/v
6	<b>Dexamethasone with Chloramphenicol Eye/Ear Drops</b> Composition:- Dexamethasone Sodium Phosphate eq. to Dexamethasone Phosphate Chloramphenicol Benzalkonium Chloride (As Preservative) Sterile Aqueous Base Dosage: As directed by the physician.	I.P. I.P. I.P.	0.01% 0.50% 0.02% Q.S.	w/v w/v w/v
7	<b>Chloramphenicol with Benzocaine Eye/ Ear Drops</b> Composition Chloramphenicol Benzocaine Propylene Glycol Dosage: As directed by the physician.	I.P. I.P. I.P.	5% 1% Q.S.	w/v w/v
8	<b>Dexamethasone with Chloramphenicol Eye/Ear Drops</b> Composition:- Dexamethasone Sodium Phosphate eq. to Dexamethasone Phosphate Chloramphenicol Benzalkonium Chloride (As Preservative) Sterile Aqueous Base Dosage: As directed by the physician.	I.P. I.P. I.P.	0.01% 0.50% 0.02% Q.S.	w/v w/v w/v
9	<b>Chloramphenicol, Beclomethasone Dipropionate &amp; Lignocaine HCl Ear Drops</b> Composition: Chloramphenicol Beclomethasone Dipropionate Lignocaine HCl Benzalkonium Chloride Solution Glycerin & Propylene Glycol Base Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P.	5% 0.025% 2.00% 0.02% q.s.	w/v w/v w/v w/v
10	<b>Clotrimazole &amp; Lignocaine HCl Ear Drops</b> Composition: Clotrimazole Lignocaine HCl Benzalkonium Chloride Solution Glycerin & Propylene Glycol Base Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	1.00% 2.00% 0.02% Q.S.	w/v w/v w/v

11	<b>Ofloxacin, Dexamethasone &amp; Polyvinyl Alcohol Ophthalmic Solution</b> Composition: Each ml contains Ofloxacin Dexamethasone Sodium Phosphate eq. to Dexamethasone Phosphate Polyvinyl Alcohol Sterile Aqueous Vehicle Dosage: As directed by the physician.	I.P. I.P. U.S.P.	0.30% 0.01% 0.50% Q.S.	w/v w/v w/v
12	<b>Ofloxacin with Benzalkonium Chloride Solution Eye Drops</b> Composition:- Ofloxacin Benzalkonium Chloride Solution Water For Injection Dosage: As directed by the physician.	I.P. I.P. I.P.	0.30% 0.02% Q.S.	w/v w/v
13	<b>Ofloxacin &amp; Hydroxypropyl Methyl Cellulose Eye/Ear Drops</b> Composition: Ofloxacin Hydroxypropyl Methyl Cellulose Benzalkonium Chloride Solution (As Preservative) Sterile Aqueous Vehicle Dosage: As directed by the physician.	I.P. I.P. I.P.	0.30% 0.25% 0.02% Q.S.	w/v w/v w/v
14	<b>Clotrimazole, Betamethasone Dipropionate, Lignocaine HCl &amp; Ofloxacin Ear Drops</b> Composition Clotrimazole Betamethasone Dipropionate Lignocaine HCl Ofloxacin Preservatives Propylene Glycol	I.P. I.P. I.P. I.P. I.P.	1.00% 0.025% 2.00% 0.30% base	w/v w/v w/v w/v
15	<b>Tobramycin Sulphate Eye Drops</b> Composition: Tobramycin Sulphate Eq. To Tobramycin Benzalkonium Chloride Solution Water For Injection Dosage: As directed by the physician.	U.S.P I.P. I.P. I.P.	0.30% 0.02% Q.S.	w/v w/v
16	<b>Ofloxacin &amp; Dexamethasone Sodium Phosphate Eye/Ear Drops.</b> Composition Ofloxacin Dexamethasone Sodium Phosphate Water For Injection Dosage: As Directed bt the Physician	I.P. I.P. I.P.	0.30% 0.02% Q.S.	w/v w/v
17	<b>Mesna Respirator Solution.</b> Each 3 ml Ampoule Contains: Mesna Water For Injection Dosage: As Directed bt the Physician	I.P.	600 Q.S	mg
18	<b>Ciprofloxacin Ophthalmic Solution</b> <b>U.S.P 0.3 % w/v</b> Composition: Each ml Contains: Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Benzalkonium Chloride Solution (As Preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	USNF	0.30% 0.02% Q.S.	w/v w/v
19	<b>Gentamicin Sulfate Ophthalmic Solution U.S.P 0.3 % w/v</b> Composition: Each ml Contains: Gentamicin Sulfate Eq. to Gentamicin Benzalkonium Chloride Solution (As Preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	U.S.P USNF	0.30% 0.02% Q.S.	w/v w/v
20	<b>Chloramphenicol Eye Drop B.P 0.5 % w/v</b> Composition: Each ml Contains: Chloramphenicol Phenyl Mercuric Nitrate (As Preservative) Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	B.P. B.P.	0.50% 0.002% Q.S.	w/v w/v

21	<b>Tobramycin Ophthalmic Solution U.S.P.</b> Each ml contains: Tobramycin Sulphate Eq. To Tobramycin Benzalkonium Chloride Solution (As preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	U.S.P. U.S.P.	0.30% 0.02% Q.S.	w/v v/v
22	<b>Timolol Eye Drops</b> Each ml contains: Timolol Maleate Eq. to Timolol Benzalkonium Chloride Solution (As preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	B.P. B.P.	0.50% 0.02% Q.S.	w/v v/v
23	<b>Ciprofloxacin &amp; Dexamethasone Eye Drops.</b> Composition: Ciprofloxacin Dexamethasone Sodium Phosphate Eq. to Dexamethasone Phosphate Dosage: As Directed bt the Physician.	I.P. I.P.	0.30% 0.10%	w/v w/v
24	<b>Dexamethasone Sodium Phosphate &amp; Chloramphenicol Eye/Ear Drops.</b> Composition: Dexamethasone Sodium Phosphate Chloramphenicol Phenyl Mercuric Nitrate (As Preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	I.P. I.P. I.P.	0.05% 0.50% 0.00% Q.S.	w/v w/v w/v
25	<b>Xylometazoline Hydrochloride &amp; Benzalkonium Chloride Drop.</b> Composition: Xylometazoline Hydrochloride Benzalkonium Chloride Dosage: As Directed bt the Physician.	I.P. I.P.	0.10% 0.10%	w/v w/v
26	<b>Moxifloxacin Hydrochloride 0.5% w/v &amp; Dexamethasone Phosphate 0.1% w/v Eye Drop.</b> Composition: Dexamethasone Sodium Phosphate Eq. to Dexamethasone Phosphate Moxifloxacin Hydrochloride eq. to Moxifloxacin Benzalkonium Chloride Solution (As Preservative) Sterile Aqueous Buffered Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	B.P. B.P. B.P.	0.1% 0.5% 0.02% Q.S.	w/v w/v w/v
27	<b>Carmellose Sodium Eye Drop B.P. 0.5% w/v</b> Composition: Carmellose Sodium Stabilized Oxychloro Complex (As Preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	B.P.	0.5% 0.005% Q.S.	w/v w/v
28	<b>Prednisolone Acetate Ophthalmic Suspension U.S.P. Eye Drop</b> Composition: Prednisolone Acetate Benzalkonium Chloride Solution (As Preservative) Sterile Aqueous Vehicle Dosage: As Directed bt the Physician. <b>(For Export Only)</b>	U.S.P. U.S.P.	1.00% 0.02% Q.S.	w/v w/v
29	<b>Ofloxacin, Dexamethasone Sodium Phosphate Eye &amp; ear Drops</b> Composition: Ofloxacin Dexamethasone Sodium Phosphate Eq. to Dexamethasone Phosphate Benzalkonium Chloride Solution (As Preservatives) Sterile buffered aqueous vehicle Dosage: As directed by the physician	I.P. I.P. I.P.	0.3% 0.1% 0.02%	w/v w/v w/v



Nasal Drops

Sr. no.	Composition	Unit
1	<b>Xylometazoline Hydrochloride Nasal Drops I.P.</b> Composition: Xylometazoline Hydrochloride Benzalkonium Chloride Solution (As Preservative) Dosage: As Directed bt the Physician.	w/v w/v
2	<b>Sodium Chloride I.P. 0.65 % w/v Nasal Drop.</b> Composition: Sodium Chloride In Purified Water Aerosol Propellant Dosage: As Directed bt the Physician.	w/v

Powder

Sr. no.	Composition	Std	C Iaim	Unit
1	<b>Polyethylene Glycol 3350</b> Each 17 g (Sachet) contains: Polyethylene glycol 3350 Excipients Dosage: As directed by the physician.		17 q.s.	gm
2	<b>Cholecalciferol Sachet.</b> Each sachet of 1 gm contains: Cholecalciferol Excipients Dosage: As directed by the physician.	I.P.	60,000 q.s.	IU
3	<b>L-Arginine &amp; Proanthocyanidin Sachet.</b> Each sachet of 5 gm contains: L- Arginine Proanthocyanidin Colour: Sunset Yellow Dosage: As directed by the physician.	I.P.	3 75 q.s.	gm mg
4	<b>Saccharomyces Boulardii, Lactic Acid Bacillus Sachet.</b> Each sachet of 1 gm contains: Saccharomyces Boulardii Lactic Acid Bacillus Excipients Dosage: As directed by the physician.	I.P.	250 200 q.s.	mg million spores
5	<b>Racecadotril Sachet.</b> Each sachet of 1 gm contains: Racecadotril Excipients Dosage: As directed by the physician.	I.P.	10 q.s.	mg
6	<b>Prebiotic &amp; Probiotic Sachet.</b> Each sachet of 1 gm contains: Lactobacillus Acidophilus Lactobacillus Rhamnosus Lactobacillus Casei Lactobacillus Plantarum Lactobacillus Bulgarius Bifidobacterium Longum Bifidobacterium Breve Bifidobacterium Infantis Steptococcus Thermophilus Fructo-Oligo Ssaccharids Excipients Dosage: As directed by the physician.	I.P.	700 400 300 300 300 300 300 300 300 400 100	million spores million spores million spores million spores million spores million spores million spores million spores million spores million spores mg
7	<b>Multivitamin and Multimineral Powder with Protein Hydrolysate</b> Each 30 gm Contains Protein Hydrolysate 20% Elemental Calcium Elemental Phosphorous (as dibasic Calcium Phosphate Dihydrate IP) Pyridoxine Hydrochloride Methylcobalamin Vitamin D3 Niacinamide Folic Acid Zinc (as Zinc Sulphate Monohydrate IP) Iron (as Ferric Ammonium Citrate IP) Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P.	5 225 174 0.5 1 100 5 7.5	gm mg mg mg mcg IU mg mg mg mg

Sr. no.	Composition	Std	Claim	Unit
1	<b>Potassium Chloride Oral Solution U.S.P.</b> Each 15 ml contains: Potassium Chloride Flavoured Sorbitol Base (Each 15ml. will supply 20 milliequivalent of element potassium ) Dosage: As directed by the physician	I.P.	1.5	gm q.s.
2	<b>Calcium Carbonate &amp; Vitamin D3 Suspension.</b> Each 15 ml contains: Calcium Carbonate Eq. to Elemental Calcium Vitamin D3 In a Flavoured syrupy base Dosage: As directed by the physician	I.P. I.P.	625 250 125	mg mg IU q.s.
3	<b>Thiamine Hydrochloride , Pyridone Hydrochloride, Cyanocobalamin, Cyproheptadine HCL, Niacinamide, D-Panthenol, Zinc Syrup</b> Each 5 ml Contains: Thiamine Hydrochloride Pyridoxine Hydrochloride Cyanocobalamin Cyproheptadine HCL Niacinamide D Panthenol L Lysine MonoHCl Zinc (As Zinc Sulphate Monohydrate I.P.) Flavoured Syrup base Dosage: As directed by the Physician	I.P. I.P. I.P. I.P. I.P. I.P.	1 0.5 10 1 1 1	mg mg mg mg mg mg q.s.
4	<b>Acebrophylline Syrup</b> Each ml contains Acebrophylline In a Flavoured syrup base Dosage: As directed by the physician		10	mg q.s.

5	<b>Piracetam Syrup</b> Each 5 ml contains Piracetam Flavoured syrup base Dosage: As directed by the physician	I.P.	500	mg q.s.
6	<b>Terbutaline Sulphate &amp; Bromhexine Hydrochloride.</b> Each 5 ml contains Terbutaline Sulphate Bromhexine Hydrochloride In a Flavoured syrup base Dosage: As directed by the physician	I.P. I.P.	2.5 8	mg mg q.s.
7	<b>L-Lysine with Multivitamin, Multiminerals &amp; Antioxidant Syrup.</b> Each 5 ml contains: Cholecalciferol (as stabilized) Pyridoxine Hydrochloride Niacinamide Cyanocobalamin Zinc (as Zinc Gluconate U.S.P) Bata-Carotene Dispersion 2.5% Manganese (as Meganese Chloride Tetrahydrate U.S.P) Molybdenum (as Sodium Molybdenum Dihydrate B.P.) Selenium (as Sodium Selenate) Lysin Hydrochoride Iodine (as Potassium Iodide I.P.) Biotin Chromium (as Chromium Chloride Hexahydrate U.S.P) Inositol In a flavoured syrupy base with Fructooligosaccharides (FOS) Dosage: As directed by the physician.			

8	<p><b>Methylcobalamin, Vitamin D3, Zinc, L-lysine, Niacinamide, Biotin &amp; Folic Acid Syrup.</b>  Each 5 ml (one teaspoonful) contains:  Methylcobalamin  Cholecalciferol  ( Vitamin D3 )  Zinc Gluconate  Eq.to Elementa Zinc  Lysine Hydrochloride  Niacinamide  Bootin  Folic Acid  In a flavoured syrup base  Dosage: As directed by the physician.</p>	<p>I.P. I.P.  U.S.P  B. P.  I.P.  U.S.P.  I.P.</p>	<p>500 200  5  150 15  20 140</p>	<p>mcg  IU  mg  mg  mg  mcg  mcg  mcg  q.s.</p>
9	<p><b>Calcium Carbonate, Zinc, Vitamin D3&amp; Magnesium Hydroxide Suspension.</b>  Each 15 ml contains  Calcium Carbonate  Eq.to Elemental Calcium  Zinc Gluconate  Eq.to Elementa Zinc  Magnesium Hydroxide  Vitamin D3  In flavoured syrup base  Dosage: As directed by the physician.</p>	<p>I.P. B.P.  I.P. I.P.</p>	<p>625 14  180  200</p>	<p>mg  mg  mg  IU  q.s.</p>
10	<p><b>Cyproheptadine Hydrochloride &amp; Tricholine Citrate (65%) Syrup.</b>  Each 5 ml contains:  Cyproheptadine Hydrochloride  (Anhydrous)  Tricholine Citrate (65%)  In a Flavoured Syrupy base  Dosage: As directed by the physician.</p>	<p>I.P.</p>	<p>2 275</p>	<p>mg  mg  q.s.</p>

11	<b>Zinc Gluconate Oral Solution.</b> Each 5 ml contains: Zinc Gluconate Eq. to Elemental Zinc In a flavoured sugarless base Dosage: As directed by the physician.	U.S.P.	20	mg q.s.
12	<b>Levetiracetam Oral Solution I.P.</b> Each 5 ml contains: Levetiracetam In a flavoured syrup base Dosage: As directed by the physician.	I.P.	100	mg q.s.
13	<b>Ibuprofen &amp; Paracetamol Suspension.</b> Each 5 ml contains: Ibuprofen Paracetamol In a flavoured syrupy base Dosage: As directed by the physician	I.P.    I.P.	100    162.5	mg mg q.s.
14	<b>Linezolid For Oral Suspension.Composition:</b> Each 5 ml of reconstituted suspension contains: Linezolid Excipients Dosage: As directed by the physician.	I.P.	100	mg q.s.
15	<b>Colistin Sulphate For Oral Suspension.</b> Each 5 ml of constituted suspension contains: Colistin Sulphate Eq. to Colistin Excipients Dosage: As directed by the physician.	I.P.	25	mg q.s.
16	<b>Colistin Sulphate For Oral Suspension.</b> Each 5 ml of constituted suspension contains: Colistin Sulphate Eq. to Colistin Excipients Dosage: As directed by the physician.	I.P.	12.5	mg q.s.

17	<b>Ambroxol Hydrochloride &amp; Levocetirizine Dihydrochloride Syrup. (For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Levocetirizine Dihydrochloride Excipients Dosage: As directed by the physician.	B.P.   U.S.P.	15   2.5	mg mg q.s.
18	<b>Ambroxol Hydrochloride &amp; Levocetirizine Dihydrochloride Syrup. (For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Levocetirizine Dihydrochloride Excipients Dosage: As directed by the physician.	B.P.   U.S.P.	30   5	mg mg q.s.
19	<b>Simethicone drops. (For Export Only)</b> Each ml contains: Simethicone Emulsion Eq. to Simethicone Excipients Dosage: As directed by the physician.	U.S.P.	100	mg q.s.
20	<b>Ambroxol Hydrochloride &amp; Cetirizine Hydrochloride Syrup. (For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Cetirizine Hydrochloride Excipients q.s. Dosage: As directed by the physician.	B.P.   U.S.P.	15   2.5	mg mg q.s.

21	<b>Ambroxol Hydrochloride&amp; Cetirizine Hydrochloride Syrup.</b> <b>(For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Cetirizine Hydrochloride Excipients Dosage: As directed by the physician.	B.P. U.S.P.	30 5	mg mg q.s.
22	<b>Ambroxol Hydrochloride Syrup.</b> <b>(For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Excipients Dosage: As directed by the physician.	B.P.	15	mg q.s.
23	<b>Ambroxol Hydrochloride Syrup.</b> <b>(For Export Only)</b> Each 5 ml contains: Ambroxol Hydrochloride Excipients Dosage: As directed by the physician.	B.P.	30	mg q.s.
24	<b>Ofloxacin and Racecadotril Suspension</b> Each 5 ml contains: Ofloxacin Racecadotril Excipients Dosage: As directed by the physician.	B.P. B.P.	50 15	mg mg q.s.
25	<b>Ofloxacin &amp; Metronidazole Suspension .</b> Each 5 ml contains: Ofloxacin Metronidazole Benzoate Eq.to Metronidazole Flavoured syrupy base Dosage : As directed by the physician.	I.P. I.P.	50 120	mg mg q.s.



26	<b>Ambroxol Hydrochloride, Terbutaline Sulphate &amp; Guaiphenesin Syrup.</b> Each 5 ml contains: Ambroxol Hydrochloride Terbutaline Sulphate Guaiphenesin In a Flavoured syrup base Dosage : As directed by the physician.	I.P. I.P. I.P.	15 50 1.5	mg mg mg q.s.
27	<b>Calcium,Vitamin D3,Magnesium &amp; Zinc Suspension.</b> Composition: Each 5 ml contains: Calcium Carbonate Eq. to Elemental Calcium Vitamin D3 Magnesium Hydroxide Eq.to Elemental Magnesium Zinc Gluconate Eq.to Elementel Zinc Flavoured syrupy base Dosage:As directed by the physician. <b>(For Export Only)</b>	B.P. B.P. B.P. B.P.	625 125 250 50 2	mg mg IU mg mg q.s.
28	<b>Montelukast Sodium &amp; Levocetirizine Di-Hydrochloride Syrup.</b> Composition: Each 5 ml contains: Montelukast Sodium Eq. to Montelukast Levocetirizine Di- Hydrochloride In a flavoured syrupy base Dosage:As directed by the physician. <b>(For Export Only)</b>	B.P. U.S.P.	4 2.5	mg mg q.s.
29	<b>Lactulose Solution U.S.P.</b> Composition: Each 15 ml contains: Lactulose Concentrate Eq. to Lactulose In a flavoured base Dosage:As directed by the physician.	U.S.P.	10	gm q.s.

30	<b>Cefixime with Lactic Acid Bacillus Oral Suspension.</b> Each 5 ml of reconstituted suspension contains: Cefixime Trihydrate Eq. to Cefixime Anhydrous Lactic Acid Bacillus Excipients Dosage:As directed by the physician.	I.P.	100      60	mg million spores q.s.
31	<b>Deflazacort Susprnsion.</b> Composition: Each 5 ml of suspension contains: Deflazacort Excipients Dosage:As directed by the physician.		6	mg q.s.
32	<b>L-Lysine,Vitamin B1,VitaminB2,(Riboflavin Sodium Phosphate ), Vitamin B6,Vitamin B12, Niacinamide, Calcium D-Pantothenate,Methylcobalamin Syrup.</b> Composition : Each 5 ml contains: L-Lysine Vitamin B1 Vitamin B2 (Riboflavin Sodium Phosphate) Vitamin B6 Vitamin B12 Niacinamide Calcium D-Pantothenate Methycobalamin In a flavoured sorbitol base Dosage: As directed by the physician.	U.S.P. I.P. I. P. I.P. I.P.    I.P. I.P. I.P.	375      2.0 2.5    0.75 2        15 3        100	mg mg mg mg mcg mg mg mcg q.s.

33	<b>Potassium Citrate, Magnesium Citrate &amp; Vitamin B6 Oral Solution.</b> Each 5 ml contains: Potassium Citrate Magnesium Hydrochloride Chlorpheniramine Maleate Pyridoxine Hydrochloride (Vitamin B6) In a flavoured base Dosage: As directed by the physician.	I.P. U.S.P. I.P.	1100 375 20	mg mg mg q.s.
34	<b>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride &amp; Chlorpheniramine Maleate Syrup.</b> Each 5 ml contains: Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate In a flavoured syrupy base Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	15 5 2	mg mg mg q.s.
35	<b>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride &amp; Chlorpheniramine Maleate Syrup.</b> Each 5 ml contains: Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate In a flavoured syrupy base Dosage: As directed by the physician.	I.P. I.P. I.P.	5 5 2	mg mg mg q.s.
36	<b>Zinc Sulfate Monohydrate Oral Suspension.</b> Each 5 ml contains: Zinc Sulfate Monohydrate Eq.to Elemental Zinc In a flavoured syrupy base Dosage: As directed by the physician. <b>(For Export Only)</b>	U.S.P	10	mg q.s.

37	<b>Sodium Picosulfate, Milk of Magnesia &amp; Liquid Paraffin Suspension.</b> Composition: Each 5 ml contains: Sodium Picosulfate Milk of Magnesia Liquid Paraffin In a flavoured sorbitol base Dosage: As directed by the physician.	B.P. I.P. I.P.	3.33 3.75 1.25 q.s.	mg ml ml
38	<b>Paracetamol &amp; Mefenamic Acid Suspension.</b> Composition: Each 5 ml contains: Paracetamol Mefenamic Acid Flavoured syrupy base Dosage: As directed by the physician.	I.P. I.P.	250 100 q.s.	mg mg
39	<b>Chlorpheniramine Maleate &amp; Phenylephrine Hydrochloride Drops.</b> Composition: Each ml contains: Chlorpheniramine Maleate Phenylephrine Hydrochloride In Palatable syrupy base Dosage: As directed by the physician.	I.P. I.P.	2 5 q.s.	mg mg
40	<b>Paracetamol, Chlorpheniramine Maleate, Phenylephrine Hydrochloride, Sodium Citrate &amp; Menthol Oral Suspension.</b> Composition: Each 5 ml contains: Paracetamol Chlorpheniramine Maleate Phenylephrine Hydrochloride Sodium Citrate Menthol Flavoured Syrupy Base Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P.	250 2 5 60 1 q.s.	mg mg mg mg mg mg

41	<b>Vitamin D3 Oral Solution.</b> Each 5 ml contains: Cholecalciferol (In Nano Droplet Form) In a flavoured sugar free syrup base Dosage: As directed by the physician.	I.P.	60,000 q.s.	IU
42	<b>Terbutaline, Ambroxol, Guaiphenesin and Menthol Syrup</b> Each 5 ml. Contains Terbutaline Sulphate Ambroxol Hydrochloride Guaiphenesin Menthol	I.P. I.P. I.P. I.P.	1.25 15 50 0.5	mg mg mg mg
43	<b>Dextromethorphan, Phenylephrine and Cetirizine di HCl Syrup</b> Each 5 ml. Contains Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Cetirizine Dihydrochloride Dosage: As directed by the physician	I.P. I.P. I.P.	10 5 2	mg mg mg
44	<b>Ofloxacin and Ornidazole Suspension</b> Each 5 ml. Contains Ofloxacin Ornidazole Dosage: As directed by the physician	I.P. I.P.	50 125	mg mg
45	<b>Albendazole and Ivermectin Suspension</b> Each 5 ml. Contains Albendazole Ivermectin Dosage: As directed by the physician	I.P. I.P.(Vet)	200 10	mg mg
46	<b>Diphenhydramine, Ammonium Chloride, Sodium Citrate and Menthol Syrup</b> Each 5 ml. contains Diphenhydramine Maleate Ammonium Chloride Sodium Citrate Menthol	I.P. I.P. I.P. I.P.	14.08 138 57.03 0.91	mg mg mg mg

	Dosage: As directed by the physician			
47	<b>Dextromethorphan, Phenylephrine and Cetirizine di HCl Syrup</b> Each 5 ml. contains Dextromethorphan HBr Phenylephrine Hydrochloride Cetirizine Dihydrochloride Dosage: As directed by the physician	I.P. I.P. I.P.	10 5 2.5	mg mg mg
48	<b>Magaldrate &amp; Simethicone with Oxetacaine Suspension</b> Each 5 ml. contains Magaldrate (as anhydrous) Simethicone Emulsion eq. to Simethicone Oxetacaine Dosage: As directed by the physician	IP USP BP	540 50 10	mg mg mg
49	<b>Terbutaline, Bromhexine, Guaiphenesin and Menthol Syrup</b> Each 5 ml. Contains Terbutaline Sulphate Bromhexine Hydrochloride Guaiphenesin Menthol Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	1.25 4 50 0.5	mg mg mg mg
50	<b>Mefenamic Acid and Paracetamol Suspension</b> Each 5 ml. Contains Mefenamic Acid Paracetamol Dosage: As directed by the physician	I.P. I.P.	50 125	mg mg

51	<b>Aluminium Hydroxide, Magnesium Hydroxide and Simethicone Suspension</b> Each 5 ml. contains Dried Aluminium hydroxide Gel Magnesium Hydroxide Simethicone Emulsion eq. to Simethicone Dosage: As directed by the physician	I.P. I.P. U.S.P.	250 250 20	mg mg mg
52	<b>Magaldrate and Simethicone Suspension</b> Each 5 ml. Contains Magaldrate Simethicone Emulsion eq. to Simethicone Dosage: As directed by the physician	I.P. U.S.P.	400 20	mg mg
53	<b>Ondansetron Oral Solution I.P.</b> Each 5 ml contains Ondansetron Hydrochloride eq. to Ondansetron Dosage: As directed by the physician	I.P.	2	mg
54	<b>Levocetirizine Dihydrochloride Suspension I.P.</b> Each 5 ml. Contains Levocetirizine Dihydrochloride Dosage: As directed by the physician	I.P.	5	mg
55	<b>Levocetirizine Dihydrochloride and Montelukast Sodium Suspension</b> Each 5 ml. Contains Levocetirizine Dihydrochloride Montelukast Sodium eq. to Montelukast Dosage: As directed by the physician	I.P. I.P.	2.5 4	mg mg
56	<b>Tricholine citrate Syrup</b> Each 5 ml. Contains Tricholine Citrate Sorbitol Solution (70%) Dosage: As directed by the physician	I.P. I.P.	275 qs	mg

57	<b>Ondansetron oral Solution I.P.</b> Each 5 ml contains Ondansetron Hydrochloride eq. to Ondansetron Dosage: As directed by the physician	I.P.	5	mg
58	<b>Phenylephrine HCL, Chlorpheniramine Maleate, Sodium Citrate and Paracetamol Suspension</b> Each 5 ml. Contains Phenylephrine HCL Chlorpheniramine Maleate Sodium Citrate Paracetamol Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	5 2 60 125	mg mg mg mg
59	<b>Dicyclomine HCl and Simethicone Suspension</b> Each ml. Contains Dicyclomine HCl Simethicone Emulsion eq. to Simethicone Dosage: As directed by the physician	I.P. U.S.P.	10 40	mg mg
60	<b>Phenylephrine HCL, Chlorpheniramine Maleate and Paracetamol Suspension</b> Each ml. Contains Phenylephrine HCL Chlorpheniramine Maleate Paracetamol Dosage: As directed by the physician	I.P. I.P. I.P.	1 2 125	mg mg mg
61	<b>Albendazole Suspension I.P.</b> Each 5 ml. Contains Albendazole Dosage: As directed by the physician	I.P.	200	mg
62	<b>Levocetirizine Dihydrochloride Suspension I.P.</b> Each 5 ml. Contains Levocetirizine Dihydrochloride Dosage: As directed by the physician	I.P.	5	mg



63	<b>Levocetirizine Dihydrochloride and Montelukast Sodium Suspension</b> Each 5 ml. Contains Levocetirizine Dihydrochloride Montelukast Sodium eq. to Montelukast Dosage: As directed by the physician	I.P. I.P.	2.5 4	mg mg
64	<b>Tricholine citrate Syrup</b> Each 5 ml. Contains Tricholine Citrate Sorbitol Solution (70%) Dosage: As directed by the physician	I.P. I.P.	275 qs	mg
65	<b>Ondansetron oral Solution I.P.</b> Each 5 ml. Contains Ondansetron HCl eq. to Ondansetron Dosage: As directed by the physician	I.P.	5	mg
66	<b>Phenylephrine HCL, Chlorpheniramine Maleate, Sodium Citrate and Paracetamol Suspension</b> Each 5 ml. Contains Phenylephrine HCL Chlorpheniramine Maleate Sodium Citrate Paracetamol Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	5 2 60 125	mg mg mg mg
67	<b>Dicyclomine HCl and Simethicone Suspension</b> Each ml. Contains Dicyclomine HCl Simethicone Emulsion eq. to Simethicone Dosage: As directed by the physician	I.P. U.S.P.	10 40	mg mg

68	<b>Phenylephrine HCL, Chlorpheniramine Maleate and Paracetamol Suspension</b> Each ml. Contains Phenylephrine HCL Chlorpheniramine Maleate Paracetamol Dosage: As directed by the physician	I.P. I.P. I.P.	1 2 125	mg mg mg
69	<b>Albendazole Suspension I.P.</b> Each 5 ml. Contains Albendazole Dosage: As directed by the physician	I.P.	200	mg
70	<b>Ofloxacin and Metronidazole Suspension</b> Each 5 ml. Contains Ofloxacin Metronidazole Dosage: As directed by the physician	I.P. I.P.	50 200	mg mg
71	<b>Paracetamol Suspension I.P.</b> Each 5 ml. Contains Paracetamol Dosage: As directed by the physician	I.P.	250	mg
72	<b>Sucralfate Suspension</b> Each 5 ml. Contains Sucralfate Dosage: As directed by the physician	U.S.P.	500	mg
73	<b>Aluminium Hydroxide Gel, Magnesium Hydroxide and Activated Dimethicone Suspension</b> Each 5 ml. Contains Aluminium Hydroxide Gel Magnesium Hydroxide Activated Dimethicone Dosage: As directed by the physician	I.P. I.P. I.P.	250 250 25	mg mg mg

74	<b>Phenylephrine HCl, Chlorpheniramine Maleate and Paracetamol Drops</b> Each ml. Contains Phenylephrine HCl Chlorpheniramine Maleate Paracetamol Dosage: As directed by the physician	I.P. I.P. I.P.	2.5 1 125	mg mg mg
75	<b>Disodium Hydrogen Citrate Syrup</b> Each 5 ml. Contains Disodium Hydrogen Citrate Sorbitol Solution (70%) Dosage: As directed by the physician.	B.P.	1.4 q.s.	mg
76	<b>Sodium Picosulphate Syrup</b> Each 5 ml. Contains Sodium Picosulphate Dosage: As directed by the physician.	B.P.	5	mg
77	<b>Promethazine Hydrochloride and Paracetamol Suspension</b> Each 5 ml. Contains Promethazine Hydrochloride Paracetamol Dosage: As directed by the physician.	I.P. I.P.	2.5 125	mg mg
78	<b>Magaldrate and Simethicone with Domperidone Oral Suspension</b> Each 5 ml Contains Magaldrate (As Anhydrous) Simethicone Emulsion eq. to Simethicone Domperidone Dosage: As directed by the physician.	I.P. U.S.P. I.P.	400 20 10	mg mg mg

79	<b>Magaldrate and Simethicone with Oxetacaine Oral Suspension</b> Each 5 ml Contains Magaldrate (As Anhydrous) Simethicone Emulsion eq. to Simethicone Oxetacaine Dosage: As directed by the physician.	I.P. U.S.P. B.P.	480 20 10	mg mg mg
80	<b>Paracetamol, Ambroxol HCl, Phenylephrine HCl and Chlorpheniramine Maleate Syrup</b> Each 5 ml Contains Paracetamol Ambroxol HCl Phenylephrine HCl Chlorpheniramine Maleate Dosage: As directed by the physician.	I.P. I.P. I.P. I.P.	125 7.5 2.5 1	mg mg mg mg
81	<b>Albendazole and Ivermectin Suspension</b> Each 5 ml Contains Albendazole Ivermectin Flavoured Syrup Base Dosage: As directed by the physician.	I.P. I.P.	200 3 q.s.	mg mg
82	<b>Magnesium Hydroxide, Dried Aluminium Hydroxide and Oxetacaine Suspension</b> Each 10 ml Contains Magnesium Hydroxide Dried Aluminium Hydroxide Gel Oxetacaine Excipients Dosage: As directed by the physician.	I.P. I.P. B.P.	98 0.291 10 q.s.	mg mg mg
83	<b>Mefenamic Acid with Paracetamol Suspension</b> Each 5 ml contains Mefenamic Acid Paracetamol Flavoured Syrup Base Dosage: As directed by the physician.	I.P. I.P.	100 250 Q.S.	mg mg

84	<b>Magaldrate &amp; Simethicone Oral Solution U.S.P.</b> Each 5 ml contains Magaldrate Simethicone In Flavoured Palatable Base Dosage: As directed by the physician.	I.P. I.P.	480 20 Q.S.	mg mg
85	<b>Levosambutamol, Ambroxol &amp; Guaiphenesin Syrup</b> Each 5 ml contains Ambroxol Hydrochloride Guaiphenesin Levosambutamol Sulphate eq. to Levosambutamol Flavoured Syrupy Base Dosage: As directed by the physician.	I.P. I.P. I.P.	30 50 1 Q.S.	mg mg mg
86	<b>Levosambutamol, Ambroxol &amp; Guaiphenesin Drops</b> Each ml contains Ambroxol Hydrochloride Guaiphenesin Levosambutamol Sulphate eq. to Levosambutamol Flavoured Syrupy Base Dosage: As directed by the physician.	I.P. I.P. I.P.	7.5 12.5 0.25 Q.S.	mg mg mg
87	<b>Cefpodoxime Proxetil Suspension I.P.</b> Each 5 ml. after reconstitution susp. Contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician	I.P.	50	mg
88	<b>Azithromycin Oral Suspension I.P.</b> Each 5 ml. Contains Azithromycin Dihydrate eq. to Azithromycin Anhydrous Dosage: As directed by the physician	I.P.	100	mg
89	<b>Cefixime Oral Suspension I.P.</b> Each 5 ml. of reconstituted susp. Contains Cefixime Trihydrate eq. to Cefixime Anhydrous	I.P.	50	mg

	Dosage: As directed by the physician			
90	<b>Cefpodoxime Proxetil Suspension I.P.</b> Each 5 ml. after reconstitution susp. Contains Cefpodoxime Proxetil eq. to Cefpodoxime Dosage: As directed by the physician	I.P.	50	mg
91	<b>Fungal Diastase and Pepsin Syrup</b> Each 5 ml. contains Fungal Diastase (1:1200) Fungal diastase derived from aspergillus oryzae digest not less than 60 gm of cooked starch Pepsin (1:3000) digest not less than 30 gm of coagulated egg albumen honey flavour base Dosage: As directed by the physician	I.P. I.P.	50 10	mg mg
92	<b>Fungal Diastase and Pepsin Syrup</b> Each ml. contains Fungal Diastase (1:1200) Fungal diastase derived from aspergillus oryzae digest not less than 40 gm of cooked starch Pepsin (1:3000) digest not less than 15 gm of coagulated egg albumen honey flavour base Dosage: As directed by the physician	I.P. I.P.	33.33 5	mg mg
93	<b>Cefpodoxime Oral Suspension I.P.</b> Each 5 ml. after reconstituted Cefpodoxime Proxetil eq. to cefpodoxime Dosage: As directed by the physician	I.P.	100	mg

94	<b>Cefixime and Lactic Acid Bacillus Oral Suspension</b> Each 5 ml. of reconstituted susp. Contains Cefixime Trihydrate eq. to Cefixime Anhydrous Lactic Acid Bacillus Dosage: As directed by the physician.	I.P.	50 60	mg million spores
95	<b>Ferric Ammonium Citrate, Folic Acid, Cyanocobalamin with Sorbitol Syrup</b> Each 15 ml. Contains Ferric Ammonium Citrate Folic Acid Cyanocobalamin Sorbitol Solution (70%) Dosage: As directed by the physician.	I.P. I.P. I.P.	160 0.5 7.5 qs	mg mg mcg
96	<b>Ferrous Ascorbate, Folic Acid, Zinc and Methylcobalamin Syrup</b> Each 5 ml Contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Zinc Sulphate Monohydrate eq. to elemental Zinc Methylcobalamin Dosage: As directed by the physician.	I.P. I.P. I.P.	30 1.5 11.5 10	mg mg mg mcg
97	<b>Ferrous Gluconate, Folic Acid, Calcium Lactate and Vit B12 Syrup</b> Each 5 ml. contains Ferrous Gluconate Folic Acid Calcium Lactate Vitamin B12 Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	129.5 0.25 75 1.25	mg mg mg mcg

98	<b>Lycopene, Niacinamide, Vit B6, Cyanocobalamin, Folic Acid, Selenium, Zinc, Iodine and Copper Sulphate Syrup</b> Each 15 ml. contains Lycopene Niacinamide Pyridoxine HCl Cyanocobalmin Folic Acid Selenium dioxide monohydrate eq. to selenium Zinc Sulphate Monohydrate eq. to Elemental Zinc Potassium Iodide eq. to Iodine Copper Sulphate Dosage: As directed by the physician	I.P. I.P. I.P. I.P. U.S.P. I.P. I.P. I.P.	2000 25 1.5 1 100 35 3 100 500	mcg mg mg mcg mcg mcg mg mcg mcg
99	<b>Calcium Carbonate, Vitamin D3 and L-Lysine Syrup</b> Each 5 ml. Contains Calcium Carbonate From an Organic Source (Oyster Shell) eq. to elemental Calcium Vitamin D3 L-Lysine Monohydrochloride Dosage: As directed by the Physician	I.P. I.P. U.S.P.	375 150 200 20	mg mg I.U. mg



100	<b>Multivitamin and Multimineral Syrup</b> Each 15 ml. Contains Ferric Ammonium citrate Thiamine Hydrochloride Riboflavine Sodium Phosphate eq. to Riboflavin Pyridoxine Hydrochloride Cyanocobalamin Protein Hydrolysate (20%) Niacinamide D Panthenol L Lysine MonoHCl Zinc Sulphate eq. to elemental Zinc Copper Sulphate Manganese Chloride eq. to elemental Manganese Sorbitol Solution (70%) Dosage: As directed by the Physician	I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P.	Therapeutic Use 160 5 5 1.5 10 1000 45 5 30 2 2 1 500	mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg mg
101	<b>Vitamin B-Complex with L-Lysine Syrup</b> Each 5 ml contains Thiamine Hydrochloride Riboflavin Sodium Phosphate Pyridoxine Hydrochloride Nicotinamide D-Panthenol Cyanocobalamin L-Lysine Mono HCl Flavoured Syrupy Base Dosage: As directed by the physician.	I.P. I.P. I.P. I.P. I.P. I.P. I.P. U.S.P	2 2.5 0.75 15 3 2 375 Q.S	mg mg mg mg mg mg mg mg
102	<b>Mefenamic Acid and Paracetamol Suspension</b> Each 5 ml. Contains Mefenamic Acid Paracetamol Dosage: As directed by the physician	I.P. I.P.	50 125	mg mg

103	<b>Dextromethorphan , Chlorpheniramine and Phenylephrine Syrup</b> Each 5 ml. Contains Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate Dosage: As directed by the physician	I.P. I.P. I.P.	10 5 2	mg mg mg
104	<b>Sucralfate and Oxetacaine Suspension</b> Each 10 ml. Contains Sucralfate Oxetacaine Dosage: As directed by the physician	U.S.P. B.P.	1000 20	mg mg
105	<b>Dextromethorphan, Phenylephrine and Cetirizine di HCl Syrup</b> Each 5 ml. Contains Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Cetirizine Dihydrochloride Dosage: As directed by the physician	I.P. I.P. I.P.	10 5 2	mg mg mg
106	<b>Terbutaline, Ambroxol, Guaiphenesin and Menthol Syrup</b> Each 5 ml. Contains Terbutaline Sulphate Ambroxol Hydrochloride Guaiphenesin Menthol Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	1.25 15 50 0.5	mg mg mg mg
107	<b>Ofloxacin and Ornidazole Suspension</b> Each 5 ml. Contains Ofloxacin Ornidazole Dosage: As directed by the physician	I.P. I.P.	50 125	mg mg

108	<b>Magaldrate &amp; Simethicone with Oxetacaine Suspension</b> Each 5 ml. contains Magaldrate (as anhydrous) Simethicone Emulsion eq. to Simethicone Oxetacaine Dosage: As directed by the physician	I.P. U.S.P. B.P.	540 20 10	mg mg mg
109	<b>Cyproheptadine Hydrochloride and Tricholine Citrate Syrup</b> Each 5 ml. contains Cyproheptadine Hydrochloride Tricholine Citrate Dosage: As directed by the physician	I.P.	2 275	mg mg
110	<b>Potassium Nitrate and Sodium Monofluoro Phosphate Solution</b> Composition Potassium Nitrate Sodium Monofluoro Phosphate Dosage: As directed by the physician	I.P.	5% 0.70%	w/v w/v
111	<b>Chlorhexidine Gluconate Solution I.P.</b> Composition Chlorhexidine Gluconate Solution Dosage: As directed by the physician	I.P.	0.20%	v/v
112	<b>Paracetamol Suspension I.P</b> Each 5 ml. Contains. Paracetamol Dosage: As directed by the physician	I.P.	125	mg
113	<b>Dextromethorphan Hydrobromide , Phenylephrine HCl and Chlorpheniramine Maleate Syrup</b> Each 5 ml. Contains Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate Dosage: As directed by the physician	I.P. I.P. I.P.	10 5 2	mg mg mg

114	<b>Azithromycin Oral Suspension I.P.</b> Each 5 ml Contains Azithromycin Dihydrate eq.to Azithromycin Anhydrous Dosage: As directed by the physician.	I.P.	200	mg
115	<b>Promethazine HCl &amp; Paracetamol Syrup</b> Each 5 ml Contains Promethazine Hydrochloride Paracetamol Dosage: As directed by the physician	I.P. I.P.	5 125	mg mg
116	<b>Ofloxacin Suspension I.P.</b> Each 5 ml Contains Ofloxacin Dosage: As directed by the physician	I.P.	100	mg
117	<b>Phenylephrine HCl and Chlorpheniramine Maleate Syrup</b> Each 5 ml Contains Phenylephrine HCl Chlorpheniramine Maleate Dosage: As directed by the physician	I.P. I.P.	5 2	mg mg
118	<b>Promethazine Hydrochloride Syrup</b> Each 5 ml Contains Promethazine Hydrochloride Dosage: As directed by the physician	I.P.	5	mg
119	<b>Paracetamol, Phenylephrine HCl and Chlorpheniramine Maleate Suspension</b> Each 5 ml contains Phenylephrine HCl Chlorpheniramine Maleate Paracetamol Flavoured Syrupy Base Excipients Dosage: As directed by the physician	I.P. I.P. I.P.	2.5 1 125 Q.S Q.S	mg mg mg
120	<b>Promethazine Hydrochloride Syrup</b> Each 5 ml Contains Promethazine Hydrochloride Dosage: As directed by the physician	I.P.	5	mg

121	<b>Dicyclomine and Paracetamol Suspension</b> Each 5 ml Contains Dicyclomine Hydrochloride Paracetamol Flavoured Syrupy Base Dosage: As directed by the physician	I.P. I.P.	10 125 Q.S.	mg
122	<b>Multivitamin, Multimineral &amp; Antioxidant Suspension with Lycopene</b> Each 15 ml Contains Lycopene 6% Vitamin A Cholecalciferol Vitamin E Thiamine Hydrochloride Riboflavin Sodium Phosphate Pyridoxine Hydrochloride Cyanocobalamin D-Panthenol L-Lysine Monohydrochloride In Flavoured Syrupy Base Dosage: As directed by the physician	U.S.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. I.P. U.S.P.	2500 1600 200 7.5 2 2.5 1.5 1 1.5 15 Q.S.	mcg I.U. I.U. I.U. mg mg mg mcg mg mg
123	<b>Ofloxacin Suspension I.P.</b> Each 5 ml Contains Ofloxacin Dosage: As directed by the physician	I.P.	100	mg
124	<b>Phenylephrine HCl and Chlorpheniramine Maleate Syrup</b> Each 5 ml Contains Phenylephrine HCl Chlorpheniramine Maleate Dosage: As directed by the physician	I.P. I.P.	5 2	mg mg
125	<b>Promethazine Hydrochloride Syrup</b> Each 5 ml Contains Promethazine Hydrochloride Dosage: As directed by the physician	I.P.	5	mg

126	<b>Paracetamol, Phenylephrine HCl and Chlorpheniramine Maleate Suspension</b> Each 5 ml contains Phenylephrine HCl Chlorpheniramine Maleate Paracetamol Flavoured Syrupy Base Excipients Dosage: As directed by the physician	I.P. I.P. I.P.	2.5 1 125 Q.S Q.S	mg mg mg
127	<b>Promethazine Hydrochloride Syrup</b> Each 5 ml Contains Promethazine Hydrochloride Dosage: As directed by the physician	I.P.	5	mg
128	<b>Dicyclomine and Paracetamol Suspension</b> Each 5 ml Contains Dicyclomine Hydrochloride Paracetamol Flavoured Syrupy Base	I.P. I.P.	10 125 Q.S.	mg
129	<b>Calcium Gluconate, Ferrous Gluconate, Folic Acid and Zinc Sulphate Syrup</b> Each 10 ml. contains Calcium Gluconate Ferrous Gluconate Folic Acid Zinc Sulphate Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	100 30 500 5	mg mg mcg mg
130	<b>Ferrous Ascorbate and Folic Acid Syrup</b> Each 5 ml. Contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Dosage: As directed by the physician.	I.P.	30 550	mg mcg

131	<b>Calcium Lactate, Calcium Gluconate and Vitamin D3 Syrup</b> Each 5 ml. contains Calcium Lactate Calcium Gluconate Vitamin D3 Dosage: As directed by the physician	I.P. I.P. I.P.	200 125 200	mg mg I.U
132	<b>Ferrous Ascorbate and Folic Acid Syrup</b> Each 5 ml. Contains Ferrous Ascorbate eq. to elemental Iron Folic Acid Dosage: As directed by the physician	I.P.	10 100	mg mcg
133	<b>Cefixime Oral Suspension I.P.</b> Each 5 ml of reconstituted suspension contains Cefixime Trihydrate Equivalent cefixime Anhydrous Dosage : As directed by the physician	I.P.	100	mg
134	<b>Chlorpheniramine Maleate, Sodium Citrate, Ammonium Chloride &amp; Menthol Syrup</b> Each 5 ml contains Chlorpheniramine Maleate Sodium Citrate Ammonium Citrate Menthol Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	4 65 150 1.5	mg mg mg mg
135	<b>Dried Aluminium Hydroxide, Magnesium Hydroxide, Simethicone Syrup With Sorbitol And Dil Oil</b> Each 10 ml Contains Dried Aluminium Hydroxide Magnesium Hydroxide Simethicone Dil Oil Flavoured Syrup Base Dosage: As directed by the physician	I.P. I.P. I.P. B.P	300 150 200 25 Q.S.	mg mg mg mg

136	<b>Albendazole And Ivermectin Suspension</b> Each 5 ml contains Albendazole Ivermectin Dosage: As directed by the physician	I.P. I.P.	125 10	mg mg
137	<b>Albendazole Suspension B.P</b> Each 5 ml contains Albendazole Suspension Base <b>( FOR EXPORT ONLY )</b>	B.P. B.P.	200 Q.S.	mg
138	<b>Calcium With Multivitamin Syrup</b> Each 15 ml contains Calcium Lactate Calcium Gluconate Vitamin D3 Vitamin B12 L-Lysine Mono Hcl Flavoured Syrup Base Colour : Carmosine Dosage: As directed by the physician	I.P. I.P. I.P. I.P. U.S.P.	450 450 600 15 250 Q.S.	mg mg I.U. mcg mg
139	<b>Iron, Folic Acid, Vitamin B12 &amp; Zinc Syrup</b> Each 5 ml contains Ferric Ammonium Citrate Folic Acid Vitamin B12 Zinc Sulphate Monohydrate Dosage: As directed by the physician	I.P. I.P. I.P. I.P.	160 1 5 30	mg mg mcg mg
140	<b>Aluminium Hydroxide, Dimethyl Polysiloxane &amp; Magnesium Hydroxide Suspension</b> Each 5 ml contains Dried Aluminium Hydroxide Gel Dimethyl Polysiloxane Magnesium Hydroxide Aqueous Base	I.P. I.P. I.P.	250 40 250	mg mg mg



141	<b>Ambroxol Hydrochloride, Guaiphenesin &amp; Terbutaline Drops.</b> Each ml contains Ambroxol Hydrochloride Guaiphenesin Terbutaline Flavoured Syrupy Base Colour: Ponceau 4R	I.P. I.P. I.P.	7.5 12.5 2.5 Q.S.	mg mg mg
142	<b>Phenylephrine Hydrochloride, Chlorpheniramine Maleate, Sodium Citrate &amp; Menthol Suspension.</b> Each 5 ml contains Phenylephrine Hydrochloride Chlorpheniramine Maleate Sodium Citrate Menthol Flavoured Base Syrupy	I.P. I.P. I.P. I.P.	5 1 60 0.1 Q.S.	mg mg mg mg
143	<b>Paracetamol Oral Suspension.</b> Each 5 ml contains Paracetamol Flavoured Base Syrupy	I.P	250 Q.S	mg
144	<b>Ferrous Ascorbate, Folic Acid &amp; Methylcobalamin Suspension.</b> Each 5 ml contains Ferrous Ascorbate Eq. to Elemental Iron Folic Acid Methylcobalamin In A Flavoured Base Syrupy	I.P. J.P.	30 500 500 Q.S.	mg mcg mcg
145	<b>Phenylephrine Hydrochloride, Chlorpheniramine Maleate &amp; Paracetamol Suspension.</b> Each 5 ml contains Phenylephrine Hydrochloride Chlorpheniramine Maleate Paracetamol Flavoured Syrupy Base Colour: Erythrosine Dosage: As directed by the physician	I.P. I.P. I.P.	5 2 250 Q.S.	mg mg mg

146	<b>Albendazole And Ivermectin Oral Suspension.</b> Each 5 ml contains. Albendazole Ivermectin In A Flavoured Syrupy Base	I.P. I.P.	200 1.5 Q.S.	mg mg
147	<b>Albendazole Suspension B.P</b> Each 5 ml contains Albendazole Suspension Base <b>(FOR EXPORT ONLY)</b>	B.P.	100 Q.S.	mg
148	<b>A Tonic With Iron &amp; Vitamin Syrup</b> Each 5 ml contains Carbonyl Iron Folic Acid Cynocobalamin Zinc Sulphate Flavoured Syrupy Base Colour: Caramel	I.P. I.P. I.P. I.P.	30 500 250 11 Q.S.	mg mcg mcg mcg
149	<b>Oxymetazoline Hydrochloride.</b> Oxymetazoline Hydrochloride Benzalkonium Chloride (as preservative) In a buffered aqueous solution. Dosage: As directed by the physician	I.P. I.P.	0.05 % 0.01 %	w/v w/v
150	<b>Oxymetazoline Hydrochloride.</b> Oxymetazoline Hydrochloride Benzalkonium Chloride (as preservative) In a buffered aqueous solution. Dosage: As directed by the physician	I.P. I.P.	0.1 % 0.01 %	w/v w/v
151	<b>Ofloxacin, Metronidazole Suspension.</b> Each 5 ml contains: Ofloxacin Metronidazole Benzoate Eq. to Metronidazole Flavoured syrupy base Dosage: As directed by the physician	I.P. I.P.	50 120 q.s.	mg

152	<b>Ranitidine Syrup (Ranitidine Oral Solution U.S.P)</b> Each 5 ml contains: Composition: Ranitidine Hydrochloride Eq. to Ranitidine Flavoured Base Dosage: As directed by the physician	U.S.P	75 Q.S.	mg
153	<b>Paracetamol Oral Solution I.P</b> Each ml contains: Paracetamol In a Flavoured Syrupy Base Dosage: As directed by the physician. (For Paediatric Use Only)	I.P.	150 Q.S.	mg
154	<b>Cefpodoxime Proxetil Oral Suspension I.P.</b> Composition: Each ml of the reconstituted suspension contains: Cefpodoxime Proxetil Eq. to Anhydrous Cefpodoxime In a palatable suspension base Dosage: As directed by the physician. (For Paediatric Use Only)	I.P.	25 Q.S.	mg
155	<b>Acetaminophen Oral Suspension I.P.</b> Each ml contains: Paracetamol Flavoured Palatable Use Dosage: As directed by the physician. (For Paediatric Use Only)	I.P.	100 q.s.	mg
156	<b>Sucralfate Suspension</b> Each 10 ml contains: Sucralfate In a Flavoured Syrupy Base Dosage: As directed by the physician.	U.S.P.	1000 q.s.	mg

157	<p><b>Azithromycin Oral Suspension.</b>  Each 5 ml of reconstituted suspension contains: Azithromycin Eq. Anhydrous Azithromycin  Excipients  Dosage: As directed by the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P.	200 q.s.	mg
158	<p><b>Acetaminophen Suspension U.S.P.</b>  Each 5 ml contains.  Acetaminophen  Flavoured Syrupy Base  Dosage: As directed by the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P.	125 q.s.	mg
159	<p><b>Chlorhexidine Gluconate Solution U.S.P.</b>  Composition:  Chlorhexidine Gluconate Solution Diluted to Chlorhexidine Gluconate In a pleasantly flavoured aqueous base  Dosage: As directed by the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P.	0.2% q.s	w/v
160	<p><b>Dried Aluminum, Magnesium And Simethicone Oral Suspension U.S.P.</b>  Each 10 ml (two teaspoonful approx.) contains:  Magnesium Hydroxide (added as paste)  Dried Aluminum Hydroxide Gel  Simethicone Emulsion  Eq. to Simethicone  Dosage: As directed by the physician.  <b>(FOR EXPORT ONLY)</b></p>	U.S.P. U.S.P.	185 830 50	mg mg mg

161	<b>Cefixime For Oral Suspension U.S.P.</b> Composition: Each 5 ml of reconstituted suspension contains: Cefixime Trihydrate Eq. To Cefixime Excipients Dosage: As directed by the physician.	U.S.P.	100 q.s.	mg
162	<b>Buclizine Syrup</b> Each 5 ml contains: Buclizine Hydrochloride In a flavoured syrupy base Dosage: As directed by the physician.	I.P.	6 q.s.	mg
163	<b>Zinc Sulphate Monohydrate Oral Suspension.</b> Each 5ml contains: Zinc Sulfate Monohydrate Eq. to. Elemental Zinc In a Flavoured syrup base Dosage: As directed by the physician <b>(For Export Only)</b>	U.S.P.	10 q.s.	mg